

Ref: APL/APDL/EMD/EC/MoEFCC/242/11/22

Date- 22.11.2022

To,

Additional Principal Chief Conservator of Forest (APCCF)
Ministry of Environment, Forest and Climate Change

Integrated Regional Office (Near Kishan Circle) Aranya Bhavan, Fourth Floor, Room No 407 Sector 10A, Gandhinagar, Gujarat 382010

Sub: Six Monthly Compliance Status of Environment Clearances for Dahej Thermal Power Plant at Village Suva, GIDC Dahej, Bharuch.

Ref: Environmental clearance letter no. J-13012/39/2009-IA.II (T) Dated- 25.10.2011 & EC extension dated 25.03.2019

Dear Sir,

With reference to above subject, please find enclosed herewith Six Monthly Environment Clearances (EC) compliance status report for the period of **April'2022 to September'2022** in soft (e-mail).

The Thermal Power Project pre-construction activities completed and financial closure yet to be achieved.

This is for your kind information & record please.

Thanking You, Yours faithfully,

for Adani Power Dahej Limited

(R N Shukla)

Head Env. & Forest

Encl: as above

CC:

Member Secretary

Central Pollution control Board Parivesh Bhavan, East Arjun Nagar Kendriya Paryavaran Bhawan

New Delhi- 110 032.

The Regional Officer

**Gujarat Pollution Control Board** 

Narmadanagar Bharuch – 392015 Member Secretary, **Gujarat Pollution Control Board** Paryavaran Bhawan, Sector -10 A

Gandhinagar-382 010

Adani Power Dahei Limited

Adani Corporate House Shantigram, S G Highway Ahmedabad 382 421 Gujarat, India

CIN: U40100GJ2006PLC047672

Tel +91 79 2555 7022 Fax +91 79 2555 7177 env.power@adani.com www.adani.com

# SIX MONTHLY COMPLIANCE REPORT OF ENVIRONMENT CLEARANCE (EC)

for

2640 (4×660) MW DAHEJ THERMAL POWER PLANT

At

# VILLAGE SUVA, VAGRA TALUKA, BHARUCH DISTRICT GUJARAT

#### Submitted to:

Integrated Regional Office, Gandhinagar Ministry of Environment, Forest & Climate Change Central Pollution Control Board, New Delhi & Gujarat Pollution Control Board, Gandhinagar



Submitted By:

Environment Management Department
Adani Power Dahej Limited
Adani Corporate House,
Shantigram, S G Highway
Ahmedabad, Gujarat

PERIOD: April'2022 - September'2022

# **CONTENTS**

SI. No.	Title
1.	Introduction
2.	Compliance status of Environmental Clearance (EC).

#### Introduction

Adani Power Dahej Limited. (APDL), has proposed 2640 MW (4x660) Coalbased Supercritical Thermal Power Plant at Suva Village, Vagra Taluka, Bharuch District in Gujarat.

The project site is located in GIDC, Dahej near village Suva, Taluka Vagra, Bharuch District in Gujarat. The power plant is based on supercritical, energy efficient & environment friendly technology.

APDL has been granted Environmental Clearances & Consent to Establish from Ministry of Environment & Forest and Gujarat Pollution Control Board and APDL also obtained all necessary statutory / mandatory clearance respectively.

APDL has also been granted Extension in validity of EC vide letter no. J-13012/39/2009-IA.II (T) dated: 25.03.2019

The Thermal Power Project pre-construction activities are completed. APDL has completed infrastructure development and enabling works for the Power Plant, such as: Boundary wall, area levelling, stores, office, admin building, Erector's Hostel (Guest House), Sewage Treatment Plant & Transmission line ROW/ROU, etc.

#### Compliance status of Environmental Clearance

2640 (4×660) MW Dahej Thermal Power Plant

# Vide letter no: J -13012/39/2009-IA.II (T) dated: 25.10.2011 MoEF&CC extend the validity of the EC dated 25.10.2011 for further period of three years

	years		
S.N	Specific Conditions	Compliance Status	
(i)	CRZ Clearance for permissible activities in CRZ area (as may be applicable) shall be obtained before starting construction activity.	Already Obtained, Vide letter no. – 11-35/2012-IA-III Dated -09.08.2012	
(ii)	Prospective plan (vision document) for the site showing future expansion shall be formulated and submitted to the Ministry within six months	Complied Vision documents already submitted along with Compliance Report.	
(iii)	The structure of the power plant shall be designed in such a way that it can withstand the impact of Tsunami or Cyclone.	Noted The structure has been designed based on highest tide FGL will be 12m above chart datum.	
(iv)	In case source of fuel supply is to be changed at a later stage for the proposed 4x660 MW units now proposed to be run on imported coal from Indonesia and South Africa, the project proponent shall intimate the Ministry well in advance along with necessary requisite documents for its concurrence for allowing the change.	Noted Change in the source of fuel supply shall be intimated to the Ministry well in advance with necessary requisite documents.	
(v)	Harnessing solar power within the premises of the plant particularly at available roof tops shall be undertaken and status of implementation shall be submitted periodically to the Regional Office of the Ministry.	Noted. Compliance assured	
(vi)	Transportation of coal from Dahej Port to power plant site shall be by dedicated closed conveyor system.	Noted. Compliance assured	
(vii)	Sulphur and ash contents in the coal to be used in the project shall not exceed 0.5 % and 15 % respectively at any given time. In case of variation of coal quality at any point of time, fresh reference shall be made to the Ministry for suitable amendments to environmental clearance condition wherever necessary	Change in the source of fuel (Coal Quality) supply for proposed power plant will be intimated to the Ministry well in advance along with necessary requisite documents for its concurrence for allowing the change.	
(viii)	Bi-flue stack of 275 m height shall be provided with continuous online monitoring equipments for $SO_x$ , $NO_x$ and Particulate Matter (PM2.5 & PM10). Exit velocity of flue	Two bi-flue Stacks of 275 meter & Continuous Emission Monitoring System will be installed in all flues for	

	gases shall not be less than 22 m/sec.  Mercury emissions from stack shall also be monitored on periodic basis.	SO <sub>2</sub> , NO <sub>x</sub> . & PM. The designed flue gas velocity is more than 22 m/sec. Hg monitoring in stack will be carried out once in six month.
(ix)	NOC from the State Pollution Control Board shall be obtained.	Complied NOC already obtained and submitted along with Compliance Report of Nov.'11 to March'2012.
(x)	No water bodies including natural drainage system in the area shall be disturbed due to activities associated with the setting up / operation of the power plant.	There are no streams within the plant premises.
(xi)	COC of at least 1.5 shall be adopted.	This has been incorporated in the plant design and will be ensured during plant operation to maintain the COC more than 1.5.
(xii)	Intake shall be designed to ensure aggregation of fish and other marine creatures.	Intake channel is designed for flow rate of less than 2 m/s to ensure aggregation of fish and other marine creatures.
(xiii)	Continuous monitoring of marine biology shall be undertaken by an institute of repute. The marshy areas in the vicinity (if any) which may hold large quantities of water shall not be disturbed.	Noted Compliance assured once the project takes off.
(xiv)	Transit storage (guard pond) shall be developed to ensure that cooling water discharge is done near about ambient temperature. Details shall be submitted to the Regional Office of the Ministry.	Compliance assured Guard pond will be established and differential temperature will be maintained and submitted to the Regional Office MoEF&CC, Bhopal.
(xv)	A well designed rain water harvesting system shall be put in place which shall comprise of rain water collection from the built up and open area in the plant premises. Action plan and road map for implementation shall be submitted to the Regional Office of Ministry.	Design for rain water harvesting scheme prepared by Geo Engineering Services, Vadodara, Gujarat and the report has been submitted along with compliance Report of April'12 to September'12 to Regional Office of CGWB, Ahmedabad & MoEF regional office, Bhopal for valuable suggestion & implementation.
(xvi)	There shall not be any contamination of soil ground and surface waters (canals & village pond) with sea water in and around the project sites. In other wards necessary preventive measures for spillage from pipelines, such as	Noted. Intake channel will be lined from HTL to the plant intake pump house. Outfall will be through pipeline.

	I	T
	lining of guard pond used for the treatment of outfall before discharging in to the sea and surface RCC channels along the pipelines of outfall and intake should be adopted.	
(xvii)	Additional soil for leveling of the proposed site shall be generated within the sites (to the extent possible) so that natural drainage system of the area is protected and improved.	The entire project area is almost flat. Hence chances for generation of top soil are negligible. There are no streams within the plant premises.
(xviii)	Space provision for installation of FGD shall be made.	Space has been provided for FGD in the project layout
(xix)	High Efficiency Electrostatic Precipitators (ESPs) shall be installed to ensure that particulate emission from the proposed plant does not exceed 50 mg/Nm <sup>3</sup>	High efficiency Electrostatic Precipitators (ESP) will be installed in each boiler to meet revised PM emission of less than 30 mg/Nm³ as per the Ministry's notification dated 07.12.2015 and subsequent amendments notified from time to time.
(xx)	Adequate dust extraction system such as cyclones/ bag filters and water spray system in dusty areas such as in coal handling and ash handling points, transfer areas and other vulnerable dusty areas shall be provided.	Dust extraction system with Bag filter in Crusher House is proposed. Pneumatic ash handling system with bag filters for ash handling & water sprinkling system will be provided in Coal yard.
(xxi)	Utilisation of 100% Fly Ash generated shall be made from 4 <sup>th</sup> year of operation of the plant. Status of implementation shall be reported to the Regional Office of the Ministry from time to time.	Ash utilization plan/schedule has been incorporated in the EIA report. Status of implementation shall be reported to the Regional office, MoEF regularly during plant operation.
(xxii)	Fly ash shall be collected in dry form and storage facility (silos) shall be provided. Unutilized fly ash shall be disposed off in the ash pond in the form of slurry form. Mercury and other heavy metals (As, Hg> or Pb etc.) will be monitored in the bottom ash as also in the effluents emanating from the existing ash pond. No ash shall be disposed off in low lying area.	Noted. Compliance assured.
(xxiii)	Ash pond shall be lined with HDPE/LDPE lining or any other suitable impermeable media such that no leachate takes place at any point of time. Adequate safety measures shall also be implemented to protect the ash dyke from	Noted. Compliance assured.

	getting breached.	
(xxiv)	Fugitive emission of fly ash (dry or wet) shall be controlled such that no agricultural or non-agricultural land is affected. Damage to any land shall be mitigated and suitable compensation provided in consultation with the local Panchayat.	The crusher houses for coal shall be provided with dust extraction system & Bag Filters. Water sprinkling system will be provided in the coal stock yard.
(xxv)	To absorb the ground level pollutants, to act buffer against strong winds arising out of tropical cyclones/ storms, to reduce heat load and ameliorate environment, there is a need, for shelterbelts / greenbelts / tree cover along the coastline, bunds around marshy areas, roadsides, around the project boundaries, around village boundaries, ash dykes, railway lines, around protected monuments, forts, waste places, School Campuses and other vacant lots. Coconut plantations can be developed along the coastline and hear villages, Schools and forts. Stands of Casuariana should also be developed, on some dunes and along coasts. Bamboos, Neem and other native trees should be planted in and around at the villages.	Compliance assured.
(xxvi)	The project proponent shall not hamper the vocation of the fishing community in the area, (if any) and it shall be ensured that local fishing community shall be allowed to carry out their vocation.	Compliance assured.  There is no fishing activity near the intake & outfall area.
(xxvii)	Aliabet Mangrove conservation and regeneration plan shall be formulated and implemented during the development of project itself and the status of implementation shall be submitted to the Regional Office of the Ministry from time to time. In addition about 100 ha in and around the area shall be developed into mangrove forests.	Compliance assured.
(xxviii )	In addition long term impact on Mangrove due to $SO_2$ emission shall be carried out in due course and Report submitted to the regional Office of the Ministry.	Compliance assured.
(xxix)	Green Belt consisting of three tiers of plantations of native species around plant and at least 75 m width shall be raised. Wherever 75 m width is not feasible a 50 m width shall be raised and adequate justification	Compliance assured.  Green belt development / plantation is being developed and our efforts are being made to develop more greenery

	shall be submitted to the Ministry. Tree density shall not less than 2500 per ha with survival rate not less than 80 %	in & around the plant with survival rate > 80%.
(xxx)	A common Green Endowment Fund shall be created and the interest earned out of it shall be used for the development and management of green cover of the area.	Noted
(xxxi)	A Fishermen Endowment Welfare Fund shall also be created not only to enhance the quality of life of fishermen community through creation of facilities for fish landing platforms / fishing harbour / cold storage, but also to provide relief in case of emergency situations such as missing of fishermen on duty due to rough seas, tropical cyclones and storms etc.	Compliance assured.
(xxxii)	The project proponent shall also adequately contribute in the development of the neighboring villages. Special package with implementation schedule for free potable drinking water supply in the nearby villages and schools shall be undertaken m a time bound manner.	Being followed  Social development activities being carried out under the CSR activities by Adani Foundation. Need based Assessment Study report already submitted along with first compliance report.
(xxxiii )	At least three nearest village shall be adopted and basic amenities like development of roads, drinking water supply, primary health centre, primary school etc shall be developed in coordination with the district administration.	Noted. Compliance assured.
(xxxiv )	The project proponent shall also adequately contribute in the development of the neighboring villages. Special package with implementation schedule for providing free potable drinking water supply in the nearby villages and schools shall be undertaken in a time bound manner.	Being followed  Social development activities being carried out for need base families under the CSR activities by our <b>Adani</b> Foundation. Need based Assessment Study report already submitted to MoEF.
(xxxv)	An amount of Rs 58.82 Crores shall be earmarked as one time capital cost for CSR programme. Subsequently a recurring expenditure of Rs 11.76 Crores per annum till the life of the plant shall be earmarked as recurring expenditure for CSR activities. Details of the activities to be undertaken shall be submitted within one month along with road map for implementation.	A separate budget earmarked for CSR activities in Need based Assessment Study report and report already submitted to your good office
(xxxvi	CSR scheme shall, be identified based on need based assessment in and around the villages	We have carried out a Need Based

)	within 5.0 km of the site and in constant	Assessment study for community
	consultation with the village Panchayat and	development of nearby village. Study
	the District Administration. As part of CSR	report has been already submitted.
	prior identification of local employable youth	
	and eventual employment in the project after	
	imparting relevant training may also	
	undertaken. Income generating projects	
	consistent with the traditional skills of the	
	people shall be undertaken. Development of	
	fodder farm, fruit bearing orchards, vocational	
	training etc. can form a part of such	
	programme. Company shall provide separate	
	budget for community development activities	
	and income generating programmes.	
	Vocational training programme for possible	
	self employment and jobs shall be imparted to	
	identify villagers free of cost.	Condings
(xxxvi	It shall be ensured that in-built monitoring	Compliance assured, once the project
i)	mechanism for the schemes identified is in	takes off.
	place and annual social audit shall be got done	
	from the nearest government institute of	
	repute in the region. The project proponent shall also submit the status of implementation	
	of the scheme from time to time.	
Gener	al Conditions:	
(i)	A Corporate Environmental Policy shall be formulated and after due approval of the	Corporate HSE policy is place, signed
	Board of Directors of the Company shall be	by the Chairman.
	submitted to the Ministry within six months.	IMS implementation & certification for
	The policy shall specifically address issues of	the project will be done after starting
	adherence to environmental policy so	the construction.
	formulated arid environmental clearance	
	conditions stipulated for the power project	
	and also others including matters related to	
	violations of stipulated conditions (if any) to	
	the Board.	
(ii)	A sewage treatment plant shall be provided	Compliance assured.
(")	(as applicable) and the treated sewage shall	
	be used for raising greenbelt/plantation.	
(iii)	A well designed rainwater harvesting shall be	Design for rainwater harvesting scheme
()	constructed. Central Groundwater Authority/	is being prepared by Geo Engineering
	Board shall be consulted for finalization of	Services, Vadodara, Gujarat, and the
	appropriate rainwater harvesting technology,	report already submitted to Regional
	within-a period of three months from the date	Office of CGWB, Ahmedabad &
	of issue of clearance and details shall be	MoEF&CC regional office, Bhopal for

	furnished to the Regional Office of the Ministry.	valuable suggestion & implementation
(iv)	Adequate safety measures shall be provided in the plant area to check/minimize spontaneous fires in coal yard, especially during summer season. Copy of these measures with full details along with location plant layout shall be submitted to the Ministry as well as to the Regional Office of the Ministry.	Adequate safety measures will be established in the plant area. Detailed information /data will be submitted to MoEF&CC.
(v)	Storage facilities for auxiliary liquid fuel such as LDO/ HFO /LSHS shall be made in the plant area in consultation with Department of Explosives, Nagpur. Sulphur content in the liquid fuel will not exceed 0.5%. Disaster Management Plan shall be prepared to meet any eventuality in case of an accident taking place due to storage of oil.	The LDO/HFO/LSHS will be properly stored in minimum risk area. A Disaster Management Plan will be prepared & Mock drills will be conducted periodically.
(vi)	Regular monitoring of ground water level shall be carried out by establishing a network of existing wells and constructing new piezeometers. Monitoring around the ash pond area shall be earned out particularly for heavy metals (Hg,Cr,As,Pb) and records maintained and submitted to the Regional Office of this Ministry. The data so obtained should be compared with the baseline data so as to ensure that the ground water quality is not adversely affected clue to the project.	Regular monitoring of ground water quality including heavy metals will be carried out in and around the project area. Piezometric wells will be established around the ash pond. Records will be maintained and the same shall be submitted to Regional office of the Ministry at Bhopal once the project takes off.
(vii)	Monitoring surface water quantity and quality shall also be regularly conducted and records maintained. The monitored data shall be submitted to the Ministry regularly. Further, monitoring points shall be located between the plant and drainage in the direction of flow of ground water and records maintained. Monitoring for heavy metals in ground water shall be undertaken.	Compliance assured, once the project takes off.
(viii)	First Aid and sanitation arrangements shall be made for the drivers and other contract workers during construction phase.	First Aid centre / facility will be made available during construction phase.
(ix)	Noise levels emanating from turbines shall be so controlled such that the noise in the work zone shall be limited to 75 dBA. For people working in the high noise area, requisite personal protective equipment like earplugs/ear muffs etc. shall be provided.	Necessary action has been taken care in designed to maintain noise levels within 75 dBA. The working personnel will be provided with appropriate personnel protective equipment

	Workers engaged in noisy areas such as turbine area, air compressors etc shall be periodically examined to maintain audiometric record and for treatment for any hearing loss including shifting to non-noisy/noise less areas.	(PPE's) & periodic audiometric checkup will be carried out during operation.
(x)	Regular monitoring of ground level concentration of SO <sub>2</sub> , NOx, PM2.5 & PM10 and Hg shall be carried out in the impact zone and records maintained. If at any stage these levels arc found to exceed the prescribed limits, necessary control measures shall be provided immediately. The location of the monitoring stations and frequency of monitoring shall be decided in consultation with SPCB. Periodic reports shall be submitted to the Regional Office of this Ministry. The data shall also be put on the website of the company.	Compliance assured, once the project takes off.
(xi)	Provision shall be made for the housing of construction labour (as applicable) within the site with all necessary infrastructure and facilities such as fuel for cooking, mobile toilets, mobile STP, safe drinking water, medical health care, creche.etc. The housing may be in the form of temporary structures to be removed after the completion of the project.	Will be provided as required during construction
(xii)	The project proponent shall advertise in at least two local newspapers widely circulated in the region around the project, one of which shall be in the vernacular language of the locality concerned within seven days from the date of this clearance letter, informing that the project has been accorded environmental clearance and copies of clearance letter are available with the State Pollution Control Board/Committee and may also be seen at Website of the Ministry of Environment and Forests at <a href="http://envfor.nic.in.">http://envfor.nic.in.</a>	Complied Advertisement in Two Local News Papers, Gujarati & English, and Copy of advertisement already submitted along with first compliance report.
(xiii)	A copy of the clearance letter shall be sent by the proponent to concerned Panchayat, Zila Parisad / Municipal Corporation, urban local Body and the Local NGO, if any, from whom suggestions/representations, if any, received while processing the proposal. The clearance letter shall also be put on the website of the	Complied

	Company by the proponent.	
(xiv)	An Environmental Cell shall be created at the project site itself and shall be headed by an officer of appropriate seniority and qualification. It shall be ensured that the head of The Cell shall directly report to the Head of the Organization. The status report on the functioning of the Cell shall be submitted to the Regional office of the Ministry periodically. The Cell shall comprise of an expert in Marine Biology, Fishery and Mangroves preservation.	We have established Environment Management Department with Senior Management at Corporate level. Site Environment Cell will be created once project construction is started.
(xv)	The proponent shall upload the status of compliance of the stipulated environmental clearance conditions, including results of monitored data on their website and shall update the same periodically. It shall simultaneously be sent to the Regional Office of MOEF, the respective Zonal Office of CPCB and the SPCB. The criteria pollutant levels namely: SPM, RSPM (PM2.5 & PM10), SO <sub>2</sub> , NO <sub>x</sub> (ambient levels as well as stack emissions) shall be displayed at convenient location near the main gate of the company in the public domain.	Six monthly compliance status report is regularly submitted to MoEFCC, CPCB & GPCB. The same is sent by email also. Compliance status updated on Company's website.  Compliance assured, once the project takes off.
(xvi)	The environment statement for each financial year ending 31 <sup>sl</sup> March in Form-V as is mandated to be submitted by the project proponent to the concerned State Pollution Control Board as prescribed under the Environment (Protection) Rules, 1986, as amended subsequently, shall also be put on the website of the company along with the status of compliance of environmental clearance conditions and shall also be sent to the respective Regional Offices of the Ministry by e-mail.	Compliance assured.
(xvii)	The project proponent shall submit six monthly reports on the status of the implementation of the stipulated environmental safeguards to the Ministry of Environment and Forests, its Regional Office, Central Pollution Control Board and State Pollution Control Board. The project: proponent shall upload the status of compliance of the environment of the environmental clearance conditions on their website and update the same periodically and	Six monthly compliance status report is regularly submitted to MoEF&CC, CPCB & GPCB. The same is sent by email also. Compliance status updated on Company's website.  Last compliance report for the period of October'2021 to March'2022 had been submitted our vide letter no.: APL/APDL/EMD/EC/MoEF/213/05/22 dated - 30/05/2022

	simultaneously send the same by e-mail to the Regional Office, Ministry of Environment and Forests.	
(xviii)	Regional Office of the Ministry of Environment & Forests will monitor the implementation of the stipulated conditions. A complete set of documents including Environmental Impact Assessment Report and Environment Management Plan along with the additional information submitted from time to time shall be forwarded to the Regional Office for their reference during monitoring. Criteria pollutants levels including NO <sub>x</sub> (from stack & ambient air) shall be displayed at the main gate of the power plant.	Noted. Compliance assured.
(xix)	Separate funds shall be allocated for implementation of environmental protection measures along with item-wise break-up. These cost shall be included as part of the project cost. The funds earmarked for the environment protection measures shall not be diverted for other purposes and year-wise expenditure should be reported to the Ministry.	Separate fund has been already allocated for Environmental protection.  Fund for Environment management: Capital Cost: Rs. 700 Crores (Proposed) Recurring Cost: 7.00 Crores / year.
(xx)	The project authorities shall inform the Regional Office as well as the Ministry regarding the date of financial closure and final approval of the project by the concerned authorities and the dates of start of land development work and commissioning of plant.	Financial Closure yet to be achieved The Thermal Power Project pre- Construction activities completed.
(xxi)	Full cooperation shall be extended to the Scientists / Officers from the Ministry / Regional Office of the Ministry at Bangalore / CPCB / SPCB who would be monitoring the compliance of environmental status.	Noted Full co-operation shall be extended all time.
Condit	ions of Extended EC	
i.	Revised emission standards as per the Ministry's notification dated 07.12.2015 and subsequent amendments notified from time to time shall be complied. In case, plant is ready for commissioning and not meeting revised emission norms, operations shall be stopped unless there is an extension given through a specific direction by MoEFCC/CPCB or	Noted. Compliance Assured

	amendment in notification issued.	
ii.	As per the Revised Tariff Policy Notified by Ministry of Power vide dated 28.01.2016, project proponent shall explore the use of treated sewage water from the Sewage Treatment Plant of Municipality/ local bodies/ similar organization located within 50 kln radius of the proposed power project to minimize the water drawl from surface water bodies.	Noted. Compliance Assured The project is Sea water based and feasibility study will be carried out for use of treated water.
iii.	The detailed progress report of the project construction activities shall be submitted to the concerned Regional Office.	Noted. Compliance Assured