# SIX MONTHLY COMPLIANCE REPORT OF ENVIRONMENT CLEARANCE (EC)

2640 (4×660) MW DAHEJ THERMAL POWER PLANT

At

# VILLAGE SUVA, VAGRA TALUKA, BHARUCH DISTRICT GUJARAT

#### Submitted to:

Western Regional Office
Ministry of Environment, Forest & Climate Change
Central Pollution Control Board, New Delhi &
Gujarat Pollution Control Board, Gandhinagar



Submitted By:

Corporate Environment Management
Adani Power Dahej Limited
Sambhav House, Judges Bunglow Road
Bodakdev, Ahmedabad
Gujarat

PERIOD: April'2019 - September'2019

# **CONTENTS**

SI. No.	Title
1.	Introduction
2.	Compliance status of Environmental Clearance (EC).

#### Introduction

Adani Power Dahej Ltd. (APDL), has proposed 2640 MW (4x660) Coal-based Supercritical Thermal Power Plant at Suva Village, Vagra Taluka, Bharuch District in Gujarat.

The project site is located in GIDC, Dahej near village Suva, Taluka Vagra, Bharuch District in Gujarat. The power plant is based on supercritical, energy efficient & environment friendly technology.

APDL has been granted Environmental Clearances & Consent to Establish from Ministry of Environment & Forest and Gujarat Pollution Control Board and APDL also obtained all necessary statutory / mandatory clearance respectively.

APDL has also been granted Extension in validity of EC vide letter no. **J-13012/39/2009-IA.II (T) dated: 25.03.2019** 

The Thermal Power Project pre-construction activities completed. APDL has completed infrastructure development and enabling works for the Power Plant, such as: Boundary wall, area levelling, stores, office, admin building, Erector's Hostel (Guest House), Sewage Treatment Plant & Transmission line ROW/ROU, etc.

### Compliance status of Environmental Clearance

2640 (4×660) MW Dahej Thermal Power Plant

# Vide letter no: J -13012/39/2009-IA.II (T) dated: 25.10.2011 MoEF&CC extend the validity of the EC dated 25.10.2011 for further period of three years i.e. till 24.10.2021

S.N	Specific Conditions	Compliance Status
(i)	CRZ Clearance for permissible activities in CRZ area (as may be applicable) shall be obtained before starting construction activity.	Already Obtained, Vide letter no. – 11-35/2012-IA-III Dated -09.08.2012
(ii)	Prospective plan (vision document) for the site showing future expansion shall be formulated and submitted to the Ministry within six months	Complied Vision documents already submitted along with Compliance Report.
(iii)	The structure of the power plant shall be designed in such a way that it can withstand the impact of Tsunami or Cyclone.	Noted The structure has been designed based on highest tide FGL will be 12m above chart datum.
(iv)	In case source of fuel supply is to be changed at a later stage for the proposed 4x660 MW units now proposed to be run on imported coal from Indonesia and South Africa, the project proponent shall intimate the Ministry well in advance along with necessary requisite documents for its concurrence for allowing the change.	Noted Change in the source of fuel supply shall be intimated to the Ministry well in advance with necessary requisite documents.
(v)	Harnessing solar power within the premises of the plant particularly at available roof tops shall be undertaken and status of implementation shall be submitted periodically to the Regional Office of the Ministry.	Noted. Compliance assured
(vi)	Transportation of coal from Dahej Port to power plant site shall be by dedicated closed conveyor system.	Noted. Compliance assured
(vii)	Sulphur and ash contents in the coal to be used in the project shall not exceed 0.5 % and 15 % respectively at any given time. In case of variation of coal quality at any point of time, fresh reference shall be made to the Ministry for suitable amendments to environmental clearance condition wherever necessary	Change in the source of fuel (Coal Quality) supply for proposed power plant will be intimated to the Ministry well in advance along with necessary requisite documents for its concurrence for allowing the change.
(viii)	Bi-flue stack of 275 m height shall be provided with continuous online monitoring equipments for SO <sub>x</sub> , NO <sub>x</sub> and Particulate Matter (PM2.5 & PM10). Exit velocity of flue gases shall not be less than 22 m/sec.	Two bi-flue Stacks of 275 meter & Continuous Emission Monitoring System will be installed in all flues for SO <sub>2</sub> , NO <sub>x</sub> . & PM. The designed flue gas velocity is more than 22 m/sec. Hg

	Mercury emissions from stack shall also be monitored on periodic basis.	monitoring in stack will be carried out once in six month.
(ix)	NOC from the State Pollution Control Board shall be obtained.	Complied NOC already obtained and submitted along with Compliance Report of Nov.'11 to March'2012.
(x)	No water bodies including natural drainage system in the area shall be disturbed due to activities associated with the setting up / operation of the power plant.	There are no streams within the plant premises.
(xi)	COC of at least 1.5 shall be adopted.	This has been incorporated in the plant design and will be ensured during plant operation to maintain the COC more than 1.5.
(xii)	Intake shall be designed to ensure aggregation of fish and other marine creatures.	Intake channel is designed for flow rate of less than 2 m/s to ensure aggregation of fish and other marine creatures.
(xiii)	Continuous monitoring of marine biology shall be undertaken by an institute of repute. The marshy areas in the vicinity (if any) which may hold large quantities of water shall not be disturbed.	Noted Compliance assured, once the <b>project</b> take off.
(xiv)	Transit storage (guard pond) shall be developed to ensure that cooling water discharge is done near about ambient temperature. Details shall be submitted to the Regional Office of the Ministry.	Compliance assured  Guard pond will be established and differential temperature will be maintained and submitted to the Regional Office MoEF&CC, Bhopal.
(xv)	A well designed rain water harvesting system shall be put in place which shall comprise of rain water collection from the built up and open area in the plant premises. Action plan and road map for implementation shall be submitted to the Regional Office of Ministry.	Design for rain water harvesting scheme prepared by Geo Engineering Services, Vadodara, Gujarat and the report has been submitted along with compliance Report of April'12 to September'12 to Regional Office of CGWB, Ahmedabad & MoEF regional office, Bhopal for valuable suggestion & implementation.
(xvi)	There shall not be any contamination of soil ground and surface waters (canals & village pond) with sea water in and around the project sites. In other wards necessary preventive measures for spillage from pipelines, such as lining of guard pond used for the treatment of outfall before discharging in to the sea and surface RCC channels along the pipelines of outfall and intake should be adopted.	Noted. Intake channel will be lined from HTL to the plant intake pump house. Outfall will be through pipeline.

(xvii)	Additional soil for leveling of the proposed site shall be generated within the sites (to the extent possible) so that natural drainage system of the area is protected and improved.	The entire project area is almost flat. Hence chances for generation of top soil are negligible. There are no streams within the plant premises.
(xviii)	Space provision for installation of FGD shall be made.	Space has been provided for FGD in the project layout.
(xix)	High Efficiency Electrostatic Precipitators (ESPs) shall be installed to ensure that particulate emission from the proposed plant does not exceed 50 mg/Nm <sup>3</sup>	High efficiency Electrostatic Precipitators (ESP) will be installed in each boiler to meet revised PM emission of less than 30 mg/Nm³ as per the Ministry's notification dated 07.12.2015 and subsequent amendments notified from time to time.
(xx)	Adequate dust extraction system such as cyclones/ bag filters and water spray system in dusty areas such as in coal handling and ash handling points, transfer areas and other vulnerable dusty areas shall be provided.	Dust extraction system with Bag filter in Crusher House is proposed. Pneumatic ash handling system with bag filters for ash handling & water sprinkling system will be provided in Coal yard.
(xxi)	Utilisation of 100% Fly Ash generated shall be made from 4 <sup>th</sup> year of operation of the plant. Status of implementation shall be reported to the Regional Office of the Ministry from time to time.	Ash utilization plan/schedule has been incorporated in the EIA report. Status of implementation shall be reported to the Regional office, MoEF regularly during plant operation.
(xxii)	Fly ash shall be collected in dry form and storage facility (silos) shall be provided. Unutilized fly ash shall be disposed off in the ash pond in the form of slurry form. Mercury and other heavy metals (As, Hg> or Pb etc.) will be monitored in the bottom ash as also in the effluents emanating from the existing ash pond. No ash shall be disposed off in low lying area.	Noted. Compliance assured.
(xxiii)	Ash pond shall be lined with HDPE/LDPE lining or any other suitable impermeable media such that no leachate takes place at any point of time. Adequate safety measures shall also be implemented to protect the ash dyke from getting breached.	Noted. Compliance assured.
(xxiv)	Fugitive emission of fly ash (dry or wet) shall be controlled such that no agricultural or non- agricultural land is affected. Damage to any land shall be mitigated and suitable compensation provided in consultation with	The crusher houses for coal shall be provided with dust extraction system & Bag Filters. Water sprinkling system will be provided in the coal stock yard.

	the local Panchayat.	
(xxv)	To absorb the ground level pollutants, to act	Compliance assured.
, ,	buffer against strong winds arising out of	·
	tropical cyclones/ storms, to reduce heat load	
	and ameliorate environment, there is a need,	
	for shelterbelts / greenbelts / tree cover along	
	the coastline, bunds around marshy areas,	
	roadsides, around the project boundaries,	
	around village boundaries, ash dykes, railway	
	lines, around protected monuments, forts,	
	waste places, School Campuses and other	
	vacant lots. Coconut plantations can be	
	developed along the coastline and hear	
	villages, Schools and forts. Stands of	
	Casuariana should also be developed, on some	
	dunes and along coasts. Bamboos, Neem and	
	other native trees should be planted in and	
	around at the villages.	
(xxvi)	The project proponent shall not hamper the	Compliance assured.
	vocation of the fishing community in the area,	There is no fishing activity near the
	(if any) and it shall be ensured that local	intake & outfall area.
	fishing community shall be allowed to carry	
	out their vocation.	
(xxvii)	Aliabet Mangrove conservation and	Compliance assured.
	regeneration plan shall be formulated and	
	implemented during the development of	
	project itself and the status of implementation	
	shall be submitted to the Regional Office of	
	the Ministry from time to time. In addition	
	about 100 ha in and around the area shall be	
<i>(</i> ::::	developed into mangrove forests.	O a satis a sa sa sa sa sa
(xxviii	In addition long term impact on Mangrove due	Compliance assured.
	to SO <sub>2</sub> emission shall be carried out in due	
	course and Report submitted to the regional	
(xxix)	Office of the Ministry.  Green Belt consisting of three tiers of	
(XXIX)	plantations of native species around plant and	Compliance assured.
	at least 75 m width shall be raised. Wherever	Green belt development / plantation is
	75 m width is not feasible a 50 m width	being developed and our efforts are
	shall be raised and adequate justification	being made to develop more greenery
	shall be submitted to the Ministry. Tree density	in & around the plant with survival rate
	shall not less than 2500 per ha with survival	> 80%.
	rate not less than 80 %	
(٧٧٧)	A common Green Endowment Fund shall be	Noted
(xxx)	created and the interest earned out of it shall	INOLEU
	be used for the development and management	
	of green cover of the area.	
	2. 3. 55 55 5 6 6 6 6	

(xxxi)	A Fishermen Endowment Welfare Fund shall also be created not only to enhance the quality of life of fishermen community through creation of facilities for fish landing platforms / fishing harbour / cold storage, but also to provide relief in case of emergency situations such as missing of fishermen on duty due to rough seas, tropical cyclones and storms etc.  The project proponent shall also adequately contribute in the development of the neighboring villages. Special package with implementation schedule for free potable drinking water supply in the nearby villages and schools shall be undertaken m a time bound manner.	Being followed Social development activities being carried out under the CSR activities by Adani Foundation. Need based Assessment Study report already submitted along with first compliance report.
(xxxiii )	At least three nearest village shall be adopted and basic amenities like development of roads, drinking water supply, primary health centre, primary school etc shall be developed in coordination with the district administration.	Noted. Compliance assured.
(xxxiv )	The project proponent shall also adequately contribute in the development of the neighboring villages. Special package with implementation schedule for providing free potable drinking water supply in the nearby villages and schools shall be undertaken in a time bound manner.	Being followed  Social development activities being carried out for need base families under the CSR activities by our <b>Adani</b> Foundation. Need based Assessment Study report already submitted to MoEF.
(xxxv)	An amount of Rs 58.82 Crores shall be earmarked as one time capital cost for CSR programme. Subsequently a recurring expenditure of Rs 11.76 Crores per annum till the life of the plant shall be earmarked as recurring expenditure for CSR activities. Details of the activities to be undertaken shall be submitted within one month along with road map for implementation.	A separate budget earmarked for CSR activities in Need based Assessment Study report and report already submitted to your good office
(xxxvi	CSR scheme shall, be identified based on need based assessment in and around the villages within 5.0 km of the site and in constant consultation with the village Panchayat and the District Administration. As part of CSR prior identification of local employable youth and eventual employment in the project after imparting relevant training may also undertaken. Income generating projects consistent with the traditional skills of the	We have carried out a Need Based Assessment study for community development of nearby village. Study report has been already submitted.

	people shall be undertaken. Development of fodder farm, fruit bearing orchards, vocational training etc. can form a part of such programme. Company shall provide separate budget for community development activities and income generating programmes. Vocational training programme for possible self employment and jobs shall be imparted to identify villagers free of cost.	
(xxxvi i)	It shall be ensured that in-built monitoring mechanism for the schemes identified is in place and annual social audit shall be got done from the nearest government institute of repute in the region. The project proponent shall also submit the status of implementation of the scheme from time to time.	Compliance assured, once the project takes off.
Gener	al Conditions:	
(i)	A Corporate Environmental Policy shall be formulated and after due approval of the Board of Directors of the Company shall be submitted to the Ministry within six months. The policy shall specifically address issues of adherence to environmental policy so formulated arid environmental clearance conditions stipulated for the power project and also others including matters related to violations of stipulated conditions (if any) to the Board.	Corporate HSE policy is place, signed by the Chairman.  IMS implementation & certification for the project will be done after starting the construction.
(ii)	A sewage treatment plant shall be provided (as applicable) and the treated sewage shall be used for raising greenbelt/plantation.	Compliance assured.
(iii)	A well designed rainwater harvesting shall be constructed. Central Groundwater Authority/ Board shall be consulted for finalization of appropriate rainwater harvesting technology, within-a period of three months from the date of issue of clearance and details shall be furnished to the Regional Office of the Ministry.	Design for rain water harvesting scheme is being prepared by Geo Engineering Services, Vadodara, Gujarat and the report already submitted to Regional Office of CGWB, Ahmedabad & MoEF&CC regional office, Bhopal for valuable suggestion & implementation
(iv)	Adequate safety measures shall be provided in the plant area to check/minimize spontaneous fires in coal yard, especially during summer season. Copy of these measures with full details along with location plant layout shall be submitted to the Ministry as well as to the Regional Office of the Ministry.	Adequate safety measures will be established in the plant area. Detailed information /data will be submitted to MoEF&CC.

(v)	Storage facilities for auxiliary liquid fuel such as LDO/ HFO /LSHS shall be made in the plant area in consultation with Department of Explosives, Nagpur. Sulphur content in the liquid fuel will not exceed 0.5%. Disaster Management Plan shall be prepared to meet any eventuality in case of an accident taking place due to storage of oil.	The LDO/HFO/LSHS will be properly stored in minimum risk area. A Disaster Management Plan will be prepared & Mock drills will be conducted periodically.
(vi)	Regular monitoring of ground water level shall be carried out by establishing a network of existing wells and constructing new piezeometers. Monitoring around the ash pond area shall be earned out particularly for heavy metals (Hg,Cr,As,Pb) and records maintained and submitted to the Regional Office of this Ministry. The data so obtained should be compared with the baseline data so as to ensure that the ground water quality is not adversely affected clue to the project.	Regular monitoring of ground water quality including heavy metals will be carried out in and around the project area. Piezometric wells will be established around the ash pond. Records will be maintained and the same shall be submitted to Regional office of the Ministry at Bhopal once the project takes off.
(vii)	Monitoring surface water quantity and quality shall also be regularly conducted and records maintained. The monitored data shall be submitted to the Ministry regularly. Further, monitoring points shall be located between the plant and drainage in the direction of flow of ground water and records maintained. Monitoring for heavy metals in ground water shall be undertaken.	Compliance assured, once the project takes off.
(viii)	First Aid and sanitation arrangements shall be made for the drivers and other contract workers during construction phase.	First Aid centre / facility will be made available during construction phase.
(ix)	Noise levels emanating from turbines shall be so controlled such that the noise in the work zone shall be limited to 75 dBA. For people working in the high noise area, requisite personal protective equipment like earplugs/ear muffs etc. shall be provided. Workers engaged in noisy areas such as turbine area, air compressors etc shall be periodically examined to maintain audiometric record and for treatment for any hearing loss including shifting to non-noisy/noise less areas.	Necessary action has been taken care in designed to maintain noise levels within 75 dBA. The working personnel will be provided with appropriate personnel protective equipment (PPE's) & periodic audiometric checkup will be carried out during operation.
(x)	Regular monitoring of ground level concentration of SO <sub>2</sub> , NOx, PM2.5 & PM10 and Hg shall be carried out in the impact zone and records maintained. If at any stage these levels	Compliance assured, once the project takes off.

	arc found to exceed the prescribed limits,	
	necessary control measures shall be provided	
	immediately. The location of the monitoring	
	stations and frequency of monitoring shall be	
	decided in consultation with SPCB. Periodic	
	reports shall be submitted to the Regional	
	Office of this Ministry. The data shall also be	
	put on the website of the company.	
(· .:\	Provision shall be made for the housing of	AACH be a seed also as seed also as
(xi)	construction labour (as applicable) within the	Will be provided as required during
		construction
	site with all necessary infrastructure and	
	facilities such as fuel for cooking, mobile	
	toilets, mobile STP, safe drinking water,	
	medical health care, creche.etc. The housing	
	may be in the form of temporary structures to	
	be removed after the completion of the	
	project.	
(xii)	The project proponent shall advertise in at	Complied
(XII)	least two local newspapers widely circulated	·
	in the region around the project, one of which	Advertisement in Two Local News
	i i	Papers, Gujarati & English, and Copy of
	shall be in the vernacular language of the	advertisement already submitted along
	locality concerned within seven days from the	with first compliance report.
	date of this clearance letter, informing that	·
	the project has been accorded environmental	
	clearance and copies of clearance letter are	
	available with the State Pollution Control	
	Board/Committee and may also be seen at	
	Website of the Ministry of Environment and	
	Forests at http://envfor.nic.in.	
/\	A copy of the clearance letter shall be sent by	0 1: 1
(xiii)		Complied
	the proponent to concerned Panchayat, Zila	
	Parisad / Municipal Corporation, urban local	
	Body and the Local NGO, if any, from whom	
	suggestions/representations, if any, received	
	while processing the proposal. The clearance	
	letter shall also be put on the website of the	
	Company by the proponent.	
(xiv)	An Environmental Cell shall be created at the	We have established Environment
(////	project site itself and shall be headed by an	Management Department with Senior
	officer of appropriate seniority and	
	qualification. It shall be ensured that the head	Management at Corporate level. Site
		Environment Cell will be created once
	of The Cell shall directly report to the Head of	project construction is started.
	the Organization. The status report on the	
	functioning of the Cell shall be submitted to	
	the Regional office of the Ministry periodically.	
	The Cell shall comprise of an expert in Marine	
	Biology, Fishery and Mangroves preservation.	
	· · · · · · · · · · · · · · · · · · ·	

(xv)	The proponent shall upload the status of compliance of the stipulated environmental clearance conditions, including results of monitored data on their website and shall update the same periodically. It shall simultaneously be sent to the Regional Office of MOEF, the respective Zonal Office of CPCB and the SPCB. The criteria pollutant levels namely: SPM, RSPM (PM2.5 & PM10), SO <sub>2</sub> , NO <sub>x</sub> (ambient levels as well as stack emissions) shall be displayed at convenient location near the main gate of the company in the public domain.	Six monthly compliance status report is regularly submitted to MoEFCC, CPCB & GPCB. The same is sent by email also. Compliance status updated on Company's website.  Compliance assured, once the project takes off.
(xvi)	The environment statement for each financial year ending 31 <sup>sl</sup> March in Form-V as is mandated to be submitted by the project proponent to the concerned State Pollution Control Board as prescribed under the Environment (Protection) Rules, 1986, as amended subsequently, shall also be put on the website of the company along with the status of compliance of environmental clearance conditions and shall also be sent to the respective Regional Offices of the Ministry by e-mail.	Compliance assured.
(xvii)	The project proponent shall submit six monthly reports on the status of the implementation of the stipulated environmental safeguards to the Ministry of Environment and Forests, its Regional Office, Central Pollution Control Board and State Pollution Control Board. The project: proponent shall upload the status of compliance of the environment of the environmental clearance conditions on their website and update the same periodically and simultaneously send the same by e-mail to the Regional Office, Ministry of Environment and Forests.	Six monthly compliance status report is regularly submitted to MoEF&CC, CPCB & GPCB. The same is sent by email also. Compliance status updated on Company's website.  Last compliance report for the period of October '2018 to March '2019 had been submitted our vide letter no.: APL/APDL /EMD/EC/MoEF/176/05/19  Dated- 24/05/2019
(xviii)	Regional Office of the Ministry of Environment & Forests will monitor the implementation of the stipulated conditions. A complete set of documents including Environmental Impact Assessment Report and Environment Management Plan along with the additional information submitted from time to time shall be forwarded to the Regional Office for their reference during monitoring. Criteria	Noted. Compliance assured.

	pollutants levels including $NO_x$ (from stack & ambient air) shall be displayed at the main	
	gate of the power plant.	
(xix)	Separate funds shall be allocated for implementation of environmental protection measures along with item-wise break-up. These cost shall be included as part of the project cost. The funds earmarked for the environment protection measures shall not be diverted for other purposes and year-wise expenditure should be reported to the Ministry.	Separate fund has been already allocated for Environmental protection. Fund for Environment management: Capital Cost: Rs. 700 Crores (Proposed) Recurring Cost: 7.00 Crores / year.
(xx)	The project authorities shall inform the Regional Office as well as the Ministry regarding the date of financial closure and final approval of the project by the concerned authorities and the dates of start of land development work and commissioning of plant.	Financial Closure yet to be achieved The Thermal Power Project pre- Construction activities completed.
(xxi)	Full cooperation shall be extended to the Scientists / Officers from the Ministry / Regional Office of the Ministry at Bangalore / CPCB / SPCB who would be monitoring the compliance of environmental status.	Noted Full co-operation shall be extended all time.
Conditi	ions of Extended EC	
i.	Revised emission standards as per the Ministry's notification dated 07.12.2015 and subsequent amendments notified from time to time shall be complied. In case, plant is ready for commissioning and not meeting revised emission norms, operations shall be stopped unless there is an extension given through a specific direction by MoEFCC/CPCB or amendment in notification issued.	Noted & agreed Compliance Assured
ii.	As per the Revised Tariff Policy Notified by Ministry of Power vide dated 28.01.2016, project proponent shall explore the use of treated sewage water from the Sewage Treatment Plant of Municipality/ local bodies/ similar organization located within 50 kln radius of the proposed power project to minimize the water drawl from surface water bodies.	Noted.  Dahej TPP is based on Sea Water.
iii.	The detailed progress report of the project construction activities shall be submitted to the concerned Regional Office.	Noted Compliance Assured