

Ref.: APL/Udupi/NMPT/ENV/EC/226/11/23

Date: 24/11/2023

To.

Additional Principal Chief Conservator of Forest (APCCF) Ministry of Environment, Forest and Climate Change Regional Office (Southern Zone),

Kendriya Sadan, Koramangala, Bangalore – 560 034

Sub: Submission of Six-Monthly EC Compliance report for Captive Jetty with associated facilities for import and handling of coal for coal-based subcritical Thermal Power Plant of UPCL in Udupi district in Karnataka.

Ref: Environmental Clearance No: J-16011/13/2002-IA.III Dated: 16.01.2003.

Dear Sir,

With reference to the above subject, please find enclosed Six-monthly compliance reports for the period of **April'2023 to September'2023** against the conditions of Environmental Clearance for **Captive Jetty with associated facilities** for import and handling of coal-based subcritical Thermal power plant of UPCL through soft copy (e-mail).

Thanking you, Yours sincerely,

for Adani Power Limited, Udupi

(Santosh Kumar Singh) Authorized Signatory

Encl.: As above

CC:

The Member Secretary,
Central Pollution Control Board,
Parivesh Bhavan, East Arjun Nagar,
Kendriya Paryavaran Bhawan, New Delhi – 110 032

Zonal Office, Central Pollution Control Board,1st and 2nd Floor, Nisarga Bhavan, A-Block, Thimmaiah

Main Road, 7th Cross, Shivanagar, Bengaluru – 560 010

The Member Secretary Karnataka State Pollution Control Board "Parisara Bhavan", #49, 4th & 5th Floor, Church Street, Bangalore – 560 001

Regional Office, Karnataka State Pollution Control Board Parisara Bhavan, Bikampady, Mangalore.

SIX MONTHLY COMPLIANCE REPORT OF ENVIRONMENT CLEARANCE (EC)

FOR
CAPTIVE JETTY WITH ASSOCIATED
FACILITIES FOR HANDLING OF COAL

OF

1200 MW Udupi Thermal Power Plant

At

Berth No.15, APL Jetty, At NMPA Premises, Panambur, Dakshina Kannada District, Karnataka

Submitted to:

Integrated Regional Office, Bengaluru
Ministry of Environment, Forest & Climate Change
Zonal Office, Central Pollution Control Board
Karnataka State Pollution Control Board



Submitted by:

Environment Management Department
Adani Power Limited

Village Yelluru, Pilar Post, Padubidri, Udupi District, Karnataka

Period: April'2023 to September'2023



CONTENTS

SI. No.	Title							
1	Introduction							
2	Compliance Status of Environment Clearance (EC)							
	<u>List of Annexures</u>							
3	Environmental Monitoring Report (From April'2023 - September'2023) • Ambient Air Quality Monitoring report • Wastewater Quality Monitoring report	Annexure-I						



Introduction

Udupi TPP of Adani Power Limited with capacity of 2X600 MW imported Coal based Power Plant in the Udupi District of Karnataka. Situated in the western coastal region of India, the plant is situated in the village of Yellur, between Mangalore and Udupi.

Udupi TPP is the first independent power project (IPP) using 100% imported coal as fuel in the country. The Udupi Power Project supplies 90% of the power it generates to the State of Karnataka.

Environmental Clearance was issued for development of Port to New Mangalore Port Authority (NMPA). Through concession agreement signed on 9th May 2008 between Udupi Thermal Power Plant (Udupi Power Corporation Ltd.) and NMPA, Berth No. 15 of the port was allocated to Udupi TPP for construction and operation of captive jetty with associated facilities for import and handling of coal for coal-based Subcritical Thermal Power Plant of Adani Power Ltd. in Udupi district in Karnataka.

The Hon'ble NCLT vide its order dated 08.02.2023 sanctioning the scheme of amalgamation/merger of Udupi Power Corporation Ltd. with Adani Power Limited.

Subsequently, transfer of Environment Clearance from Udupi Power Corporation Ltd. to Adani Power Limited is granted from MoEFCC, New Delhi vide file no. J-13012/12/2015-IA.I (T) dated 26th June 2023.

Udupi Thermal Power Plant is submitting this compliance to environmental clearance conditions as per concession agreement signed between Udupi TPP (UPCL) and NMPA.



Compliance Status on Environnemental Clearance Captive Jetty with Facilities for Coal Handling at NMPA Premises Vide Letter No: J-16011/13/2002-IA.III Dated: 16.01.2003.

CI		
SI. No.	Conditions	Compliance Status
Α	Specific Condition	
(1)	All the conditions stipulated by KSPCB in their NOC No.KSPCB/CFE-CELL/DEO/AEO-2/NMPT/2002-2003/115 dated 28.06.2002 shall be effectively implemented.	All the conditions stipulated by KSPCB are implemented.
(11)	The proposed deep draft Berth at Mangalore will be laid only within the existing corridor/within the existing port limits.	Complied. Deep draft berth is constructed within the NMPA (New Mangalore Port Authority) limits only.
(111)	The laying and commissioning of the berth shall be in accordance with the established procedures, practices and rules and in conformity with the details furnished in the project documents. The New Mangalore Port Trust shall notify the specific procedures, practices and standards to be adopted in laying and commissioning of the berth.	Complied. Deep draft berth is constructed as per the procedures and standards of NMPA; the same is verified by NMPA officials/ Engineers.
(IV)	It shall be ensured that as a result of construction of berth, the drainage of the area is not affected adversely and that there is no ingress of sea water.	Complied. Construction of berth is carried out as per the standards and procedures of NMPA. Drainage system in the berth is constructed in such way that no ingress of Sea water is allowed, and it is designed only for storm water and coal runoff.
(V)	The berth shall be provided with in-built oil leakage detection and warning system. Adequate measures for monitoring pressures in excess of those for which the berth is designed shall be ensured to prevent leakage of Oil.	Complied.
(VI)	The environmental safeguard measures and the Environmental Management Plan as given in the project documents shall be effectively implemented.	Complied.
(VII)	The water requirement for the project will be met through Municipal Water Supply. No groundwater shall be tapped within CRZ for the project.	Complied. An agreement was made with City Corporation Mangalore; hence no ground water was tapped in the project area.
(VIII)	Electricity shall be met through KPTCL	Complied. Electricity is supplied by MESCOM Mangalore under KPTCL.
(IX)	The mangroves, if any, on the site should not be disturbed in any way.	The present Udupi TPP berth falls in the NMPA premises and hence No mangroves are found in the Jetty area.
(X)	The noise generated from the generators during operation shall be minimized by	Complied.



	providing adequate vibration damping/vibration isolation techniques.	Low noise Generators are provided to minimize vibration by adopting latest techniques.
(XI)	In case the proposed project falls in a cyclone prone area the proponent(s) must prepare an emergency plan and also the ways and means for minimizing as well as mitigating the cyclone disasters.	NMPA has developed emergency plan for Berth No-15.
В	General Conditions:	
(1)	Construction of the proposed structures should be undertaken meticulously confirming to the existing Central/local rules and regulations including CRZ Notification 1991 and its amendments. All the construction designs/drawings relating to the proposed construction activities must have approvals of the concerned State Govt. Depts/Agencies.	Complied. All the construction drawings and designs are as per NMPA standards and the same is inspected by NMPA officials/Engineers during construction phase.
(11)	The proponent shall ensure that as a result of the proposed constructions, ingress of the saline water into the groundwater does not take place. Regular monitoring should be done for this purpose at appropriate locations on the project site	Complied. All the constructions have been done as per approved drawings near the seashore considering this factor.
(III)	Handling, Manufacturing, Storage and Transportation of all hazardous chemicals should be carried out in accordance with MSIHC Rules, 1999 and subsequent amendments. All approvals from State and Central nodal agencies including OISD, Chief Controller of Explosives, and Chief Inspectorate of Factories must be obtained. A comprehensive contingency plan in collaboration with the concerned authorities must be formulated before commissioning of the project to meet any eventuality in case of an accident.	Berth No-15 is designed for bulk Coal. handling. No hazardous chemical activities are carried in the site and point is not applicable for us.
(IV)	A well-equipped laboratory with suitable instruments to monitor the quality of air and water shall be set up so as to ensure that the quality of ambient air and water conforms to the prescribed standards. The laboratory will also be equipped with qualified manpower including a marine microbiologist so that the marine water quality is regularly monitored in order to ensure that the marine life is not adversely affected as a result of implementation of the said project. The quality of ambient air and water shall be monitored periodically in all the seasons and the results should be properly maintained for inspection of the concerned pollution control agencies. The periodic monitoring reports at	Complied. Udupi TPP has qualified Environment Management team. Environmental Monitoring is carried out through NABL and MoEFCC Accredited Laboratory. Ambient Air Quality Monitoring and Wastewater Quality Monitoring of Coal Settling Pond has been carried out by NABL and MoEFCC Accredited Laboratory and the report is attached as Annexure – I .



least once in 6 months must be sent to this Ministry (Regional Office at Bangalore) and SPCB. (V) Adequate provisions for infrastructure facilities such as water supply, fuel for cooking, sanitation etc must be provided for the laborers during the construction period in order to avoid damage to the environment. Colonies for the laborers should not be located in the CRZ area. It should also be ensured that the construction workers do not out trees, including mangroves for fuel wood purpose. (Vi) To prevent discharge of sewage and other liquid wastes into the water bodies, adequate system for collection and treatment of the wastes must be provided. No sewage and other liquid wastes without treatment should be allowed to enter into the water bodies. (Vii) The quarrying material required for the construction purpose shall be obtained only from the approved quarries/borrow areas. Adequate safeguard measures shall be taken to ensure that the overburden and rocks at the quarry site do not find their way into water bodies. (Viii) The recommendations made in the EN and Risk Analysis Reports of the project shall be given to local people. (X) A separate Environment Management Plan and Disaster Management Plan, as contained in the EN and Risk Analysis Reports of the project shall be effectively implemented. (X) A separate Environment Management Cell with suitably qualified staff to carry out various environment related functions should be set up under the charge of a Senior Executive who will report directly to the Chief Executive of the Company. (Xi) The funds earmarked for environment protection measures should be maintained in a separate account and there should be no diversion of these funds for any other purpose. A year-wise expenditure on environment lasfeguards should be reported to this Ministry. (Xii) Full support should be extended to the Officers of this Ministry's Regional Office at Bangalore and the Officers of the Central and		<u> </u>	Т		
SPCB.					
(V) Adequate provisions for infrastructure facilities such as water supply, fuel for cooking, sanitation etc must be provided for the laborers during the construction period in order to avoid damage to the environment. Colonies for the laborers should not be located in the CRZ area. It should also be ensured that the construction workers do not cut trees, including mangroves for fuel wood purpose. (Vi) To prevent discharge of sewage and other liquid wastes into the water bodies, adequate system for collection and treatment of the wastes must be provided. No sewage and other liquid wastes without treatment should be allowed to enter into the water bodies. (Vii) The quarrying material required for the construction purpose shall be obtained only from the approved quarries/borrow area. Adequate safeguard measures shall be taken to ensure that the overburden and rocks at the quarry site do not find their way into water bodies. (Viii) The recommendations made in the Environment Management Plan and Disaster Management Plan, as contained in the Environment Management Plan and Disaster Management Plan, as contained in the Environment Management Plan and Disaster Management Plan, as contained in the Environment Management Plan and Disaster Management Plan, as contained in the Environment Management Plan and Disaster Management Plan, as contained in the Environment Management Plan and Disaster Management Plan, as contained in the Environment Management Plan and Disaster Management Plan Management Plan Manag					
facilities such as water supply, fuel for cooking, sanitation etc must be provided for the laborers during the construction period in order to avoid damage to the environment. Colonies for the laborers should not be located in the CRZ area. It should also be ensured that the construction workers do not cut trees, including mangroves for fuel wood purpose. (VI) To prevent discharge of sewage and other liquid wastes into the water bodies, adequate system for collection and treatment of the wastes must be provided. No sewage and other liquid wastes without treatment should be allowed to enter into the water bodies. (VII) The quarrying material required for the construction purpose shall be obtained only from the approved quarries/borrow areas. Adequate safeguard measures shall be taken to ensure that the overburden and rocks at the quarry site do not find their way into water bodies. (VIII) For employing unskilled, semi-skilled and skilled workers for the project, preference shall be given to local people. (XI) The recommendations made in the EIA and Risk Analysis Reports of the project shall be effectively implemented. (X) A separate Environment Management Cell with suitably qualified staff to carry out various environment related functions should be set up under the charge of a Senior Executive who will report directly to the Chief Executive of the Company. (XI) The funds earmarked for environment protection measures should be maintained in a separate account and there should be notiversion of these funds for any other purpose. A year-wise expenditure on environmental safeguards should be reported to this Ministry. (XII) Full support should be extended to the Officers of this Ministry's Regional Office at Model for Compliance assured.					
cooking, sanitation etc must be provided for the laborers during the construction period in order to avoid damage to the environment. Colonies for the laborers should not be located in the CRZ area. It should also be ensured that the construction workers do not cut trees, including mangroves for fuel wood purpose. (VI) To prevent discharge of sewage and other liquid wastes into the water bodies, adequate system for collection and treatment of the wastes must be provided. No sewage and other liquid wastes without treatment should be allowed to enter into the water bodies. (VII) The quarrying material required for the construction purpose shall be obtained only from the approved quarries/borrow areas. Adequate safeguard measures shall be taken to ensure that the overburden and rocks at the quarry site do not find their way into water bodies. (VIII) For employing unskilled, semi-skilled and skilled workers for the project, preference shall be given to local people. (XV) The recommendations made in the Environment Management Plan and Disaster Management Plan, as contained in the EIA and Risk Analysis Reports of the project shall be effectively implemented. (XX) A separate Environment Management Cell with suitably qualified staff to carry out various environment related functions should be set up under the charge of a Senior Executive who will report directly to the Chief Executive of the Company. (XI) The funds earmarked for environment protection measures should be maintained in a separate account and there should be not oliversion of these funds for any other purpose. A year-wise expenditure on environmental safeguards should be reported to this Ministry. (XII) Full support should be extended to the Officers of this Ministry's Regional Office at the Officers of this Ministry's Regional Officers of this Min	(V)	Adequate provisions for infrastructure	Complied.		
cooking, sanitation etc must be provided for the laborers during the construction period in order to avoid damage to the environment. Colonies for the laborers should not be located in the CRZ area. It should also be ensured that the construction workers do not cut trees, including mangroves for fuel wood purpose. (VI) To prevent discharge of sewage and other liquid wastes into the water bodies, adequate system for collection and treatment of the wastes must be provided. No sewage and other liquid wastes without treatment should be allowed to enter into the water bodies. (VII) The quarrying material required for the construction purpose shall be obtained only from the approved quarries/borrow areas. Adequate safeguard measures shall be taken to ensure that the overburden and rocks at the quarry site do not find their way into water bodies. (VIII) For employing unskilled, semi-skilled and skilled workers for the project, preference shall be given to local people. (XV) The recommendations made in the Environment Management Plan and Disaster Management Plan, as contained in the EIA and Risk Analysis Reports of the project shall be effectively implemented. (XX) A separate Environment Management Cell with suitably qualified staff to carry out various environment related functions should be set up under the charge of a Senior Executive who will report directly to the Chief Executive of the Company. (XI) The funds earmarked for environment protection measures should be maintained in a separate account and there should be not oliversion of these funds for any other purpose. A year-wise expenditure on environmental safeguards should be reported to this Ministry. (XII) Full support should be extended to the Officers of this Ministry's Regional Office at the Officers of this Ministry's Regional Officers of this Min		facilities such as water supply, fuel for	•		
the laborers during the construction period in order to avoid damage to the environment. Colonies for the laborers should not be located in the CRZ area. It should also be ensured that the construction workers do not cut trees, including mangroves for fuel wood purpose. (VI) To prevent discharge of sewage and other liquid wastes into the water bodies, adequate system for collection and treatment of the wastes must be provided. No sewage and other liquid wastes without treatment should be allowed to enter into the water bodies. (VII) The quarrying material required for the construction purpose shall be obtained only All the necessary measures were taken to ensure that the overburden and rocks at the quarry site do not find their way into water bodies. (VIII) For employing unskilled, semi-skilled and sikilded workers for the project, preference shall be given to local people. (XI) The recommendations made in the Environment Management Plan and Disaster Management Plan, as contained in the Environment Management Plan and Disaster Management Plan, as contained in the ElA and Risk Analysis Reports of the project shall be effectively implemented. (X) A separate Environment Management Cell with suitably qualified staff to carry out various environment related functions should be set up under the charge of a Senior Executive who will report directly to the Chief Executive who will report directly to the Chief Executive of the Company. (XI) The funds earmarked for environment protection measures should be maintained in a separate account and there should be not offer in the purpose. A year-wise expenditure on environment as afeguards should be reported to this Ministry. (XII) Full support should be extended to the Officers of this Ministry's Regional Office at the Officer and the Provision of the Environment and				-	
order to avoid damage to the environment. Colonies for the laborers should not be located in the CRZ area. It should also be ensured that the construction workers do not cut trees, including mangroves for fuel wood purpose. (VI) To prevent discharge of sewage and other liquid wastes into the water bodies, adequate system for collection and treatment of the wastes must be provided. No sewage and other liquid wastes without treatment should be allowed to enter into the water bodies. (VII) The quarrying material required for the construction purpose shall be obtained only from the approved quarrier/sobrorw areas. Adequate safeguard measures shall be taken to ensure that the overburden and rocks at the quarry site do not find their way into water bodies. (VIII) For employing unskilled, semi-skilled and skilled workers for the project, preference shall be given to local people. (IX) The recommendations made in the Environment Management Plan and Disaster Management Plan, as contained in the Environment Management Cell with suitably qualified staff to carry out various environment related functions should be set up under the charge of a Senior Executive who will report directly to the Chief Executive who will report directly to the Chief Executive on other Company. (XI) The funds earmarked for environment protection measures should be maintained in a separate account and there should be not diversion of these funds for any other purpose. A year-wise expenditure on environmental safeguards should be reported to this Ministry. (XII) Full support should be extended to the Officers of this Ministry's Regional Office at Officers of this Ministry's		·		, p	
Colonies for the laborers should not be located in the CRZ area. It should also be ensured that the construction workers do not cut trees, including mangroves for fuel wood purpose. (VI) To prevent discharge of sewage and other liquid wastes into the water bodies, adequate system for collection and treatment of the wastes must be provided. No sewage and other liquid wastes without treatment should be allowed to enter into the water bodies. (VII) The quarrying material required for the construction purpose shall be obtained only from the approved quarries/borrow areas. Adequate safeguard measures shall be taken to ensure that the overburden and rocks at the quarry site do not find their way into water bodies. (VIII) For employing unskilled, semi-skilled and skilled workers for the project, preference shall be given to local people. (IX) The recommendations made in the Environment Management Plan, as contained in the ElA and Risk Analysis Reports of the project shall be effectively implemented. (X) A separate Environment Management Cell with suitably qualified staff to carry out various environment related functions should be set up under the charge of a Senior Executive who will report directly to the Chief Executive who will report directly to the Chief Executive who will report directly to the Chief Executive of the Company. (XI) The funds earmarked for environment protection measures should be maintained in a separate account and there should be no diversion of these funds for any other purpose. A year-wise expenditure on environmental safeguards should be reported to this Ministry. (XII) Full support should be extended to the Officers of this Ministry's Regional Office at					
located in the CRZ area. It should also be ensured that the construction workers do not cut trees, including mangroves for fuel wood purpose.					
ensured that the construction workers do not cut trees, including mangroves for fuel wood purpose. (VI) To prevent discharge of sewage and other liquid wastes into the water bodies, adequate system for collection and treatment of the wastes must be provided. No sewage and other liquid wastes without treatment should be allowed to enter into the water bodies. (VII) The quarrying material required for the construction purpose shall be obtained only from the approved quarries/borrow areas. Adequate safeguard measures shall be taken to ensure that the overburden and rocks at the quarry site do not find their way into water bodies. (VIII) For employing unskilled, semi-skilled and skilled workers for the project, preference shall be given to local people. (IX) The recommendations made in the Environment Management Plan, as contained in the ElA and Risk Analysis Reports of the project shall be effectively implemented. (X) A separate Environment Management Cell with suitably qualified staff to carry out various environment related functions should be set up under the charge of a Senior Executive who will report directly to the Chief Executive of the Company. (XI) The funds earmarked for environment protection measures should be maintained in a separate account and there should be no diversion of these funds for any other purpose. A year-wise expenditure on environmental safeguards should be reported to this Ministry. (XII) Full support should be extended to the Officers of this Ministry's Regional Office at					
cut trees, including mangroves for fuel wood purpose. (VI) To prevent discharge of sewage and other liquid wastes into the water bodies, adequate system for collection and treatment of the wastes must be provided. No sewage and other liquid wastes without treatment should be allowed to enter into the water bodies. (VII) The quarrying material required for the construction purpose shall be obtained only from the approved quarries/borrow areas. Adequate safeguard measures shall be taken to ensure that the overburden and rocks at the quarry site do not find their way into water bodies. (VIII) For employing unskilled, semi-skilled and skilled workers for the project, preference shall be given to local people. (IX) The recommendations made in the Environment Management Plan and Disaster Management Plan, as contained in the ElA and Risk Analysis Reports of the project shall be effectively implemented. (X) A separate Environment Management Cell with suitably qualified staff to carry out various environment related functions should be set up under the charge of a Senior Executive who will report directly to the Chief Executive of the Company. (XI) The funds earmarked for environment protection measures should be maintained in a separate account and there should be no diversion of these funds for any other purpose. A year-wise expenditure on environmental safeguards should be reported to this Ministry. (XII) Full support should be extended to the Officers of this Ministry's Regional Office at					
CVII) To prevent discharge of sewage and other liquid wastes into the water bodies, adequate system for collection and treatment of the wastes must be provided. No sewage and other liquid wastes without treatment should be allowed to enter into the water bodies. (VII) The quarrying material required for the construction purpose shall be obtained only from the approved quarries/borrow areas. Adequate safeguard measures shall be taken to ensure that the overburden and rocks at the quarry site do not find their way into water bodies. (VIII) For employing unskilled, semi-skilled and skilled workers for the project, preference shall be given to local people. (IX) The recommendations made in the Environment Management Plan and Disaster Management Plan, as contained in the ElA and Risk Analysis Reports of the project shall be effectively implemented. (X) A separate Environment Management Cell with suitably qualified staff to carry out various environment related functions should be set up under the charge of a Senior Executive who will report directly to the Chief Executive of the Company. (XI) The funds earmarked for environment protection measures should be maintained in a separate account and there should be no diversion of these funds for any other purpose. A year-wise expenditure on environmental safeguards should be reported to this Ministry. (XII) Full support should be extended to the Officers of this Ministry's Regional Office at Officers of the service of the service of the company. Complied. Co					
Complied. Comp		cut trees, including mangroves for fuel wood			
liquid wastes into the water bodies, adequate system for collection and treatment of the wastes must be provided. No sewage and other liquid wastes without treatment should be allowed to enter into the water bodies. (VII)		purpose.			
liquid wastes into the water bodies, adequate system for collection and treatment of the wastes must be provided. No sewage and other liquid wastes without treatment should be allowed to enter into the water bodies. (VII)	(VI)	To prevent discharge of sewage and other	Complied.		
system for collection and treatment of the wastes must be provided. No sewage and other liquid wastes without treatment should be allowed to enter into the water bodies. (VII) The quarrying material required for the construction purpose shall be obtained only from the approved quarries/borrow areas. Adequate safeguard measures shall be taken to ensure that the overburden and rocks at the quarry site do not find their way into water bodies. (VIII) For employing unskilled, semi-skilled and skilled workers for the project, preference shall be given to local people. (IX) The recommendations made in the Environment Management Plan, as contained in the El A and Risk Analysis Reports of the project shall be effectively implemented. (X) A separate Environment Management Cell with suitably qualified staff to carry out various environment related functions should be set up under the charge of a Senior Executive who will report directly to the Chief Executive of the Company. (XI) The funds earmarked for environment protection measures should be maintained in a separate account and there should be no diversion of these funds for any other purpose. A year-wise expenditure on environmental safeguards should be reported to this Ministry. (XII) Full support should be extended to the Officers of this Ministry's Regional Office at Officer so the company of the officer so this Ministry's Regional Office at Officer so the officer so	, ,		Liquid wastes are treate	ed with Soak pits and	
wastes must be provided. No sewage and other liquid wastes without treatment should be allowed to enter into the water bodies. (VII) The quarrying material required for the construction purpose shall be obtained only from the approved quarries/borrow areas. Adequate safeguard measures shall be taken to ensure that the overburden and rocks at the quarry site do not find their way into water bodies. (VIII) For employing unskilled, semi-skilled and skilled workers for the project, preference shall be given to local people. (IX) The recommendations made in the Environment Management Plan and Disaster Management Plan, as contained in the EIA and Risk Analysis Reports of the project shall be effectively implemented. (X) A separate Environment Management Cell with suitably qualified staff to carry out various environment related functions should be set up under the charge of a Senior Executive who will report directly to the Chief Executive of the Company. (XI) The funds earmarked for environment protection measures should be maintained in a separate account and there should be no diversion of these funds for any other purpose. A year-wise expenditure on environmental safeguards should be reported to this Ministry. (XII) Full support should be extended to the Officers of this Ministry's Regional Office at Officers of thi					
other liquid wastes without treatment should be allowed to enter into the water bodies. (VII) The quarrying material required for the construction purpose shall be obtained only from the approved quarries/borrow areas. Adequate safeguard measures shall be taken to ensure that the overburden and rocks at the quarry site do not find their way into water bodies. (VIII) For employing unskilled, semi-skilled and skilled workers for the project, preference shall be given to local people. (IX) The recommendations made in the Environment Management Plan and Disaster Management Plan, as contained in the Environment Management Cell with suitably qualified staff to carry out various environment related functions should be set up under the charge of a Senior Executive who will report directly to the Chief Executive who will report directly to the Chief Executive of the Company. (XI) The funds earmarked for environment protection measures should be maintained in a separate account and there should be no diversion of these funds for any other purpose. A year-wise expenditure on environmental safeguards should be reported to this Ministry. (XII) Full support should be extended to the Officers of this Ministry's Regional Office at			ocpero cormo		
De allowed to enter into the water bodies.		·			
(VII) The quarrying material required for the construction purpose shall be obtained only from the approved quarries/borrow areas. Adequate safeguard measures shall be taken to ensure that the overburden and rocks at the quarry site do not find their way into water bodies. (VIII) For employing unskilled, semi-skilled and skilled workers for the project, preference shall be given to local people. (IX) The recommendations made in the Environment Management Plan and Disaster Management Plan, as contained in the El A and Risk Analysis Reports of the project shall be effectively implemented. (X) A separate Environment Management Cell with suitably qualified staff to carry out various environment related functions should be set up under the charge of a Senior Executive who will report directly to the Chief Executive of the Company. (XI) The funds earmarked for environment protection measures should be maintained in a separate account and there should be no diversion of these funds for any other purpose. A year-wise expenditure on environmental safeguards should be reported to this Ministry. (XII) Full support should be extended to the Officers of this Ministry's Regional Office at		•			
construction purpose shall be obtained only from the approved quarries/borrow areas. Adequate safeguard measures shall be taken to ensure that the overburden and rocks at the quarry site do not find their way into water bodies. (VIII) For employing unskilled, semi-skilled and skilled workers for the project, preference shall be given to local people. (IX) The recommendations made in the Environment Management Plan and Disaster Management Plan, as contained in the Environment Management Plan and Disaster Management Plan, as contained in the ElA and Risk Analysis Reports of the project shall be effectively implemented. (X) A separate Environment Management Cell with suitably qualified staff to carry out various environment related functions should be set up under the charge of a Senior Executive who will report directly to the Chief Executive of the Company. (XI) The funds earmarked for environment purpose. A year-wise expenditure on environmental safeguards should be reported to this Ministry. (XII) Full support should be extended to the Officers of this Ministry's Regional Office at	(\/II)		Complied		
from the approved quarries/borrow areas. Adequate safeguard measures shall be taken to ensure that the overburden and rocks at the quarry site do not find their way into water bodies. (VIII) For employing unskilled, semi-skilled and skilled workers for the project, preference shall be given to local people. (IX) The recommendations made in the Environment Management Plan and Disaster Management Plan, as contained in the ElA and Risk Analysis Reports of the project shall be effectively implemented. (X) A separate Environment Management Cell with suitably qualified staff to carry out various environment related functions should be set up under the charge of a Senior Executive who will report directly to the Chief Executive of the Company. (XI) The funds earmarked for environment protection measures should be maintained in a separate account and there should be no diversion of these funds for any other purpose. A year-wise expenditure on environmental safeguards should be reported to this Ministry. (XII) Full support should be extended to the Officers of this Ministry's Regional Office at	(۷11)	, , , , , , , , , , , , , , , , , , ,	·		
Adequate safeguard measures shall be taken to ensure that the overburden and rocks at the quarry site do not find their way into water bodies. (VIII) For employing unskilled, semi-skilled and skilled workers for the project, preference shall be given to local people. (IX) The recommendations made in the Environment Management Plan and Disaster Management Plan, as contained in the ElA and Risk Analysis Reports of the project shall be effectively implemented. (X) A separate Environment Management Cell with suitably qualified staff to carry out various environment related functions should be set up under the charge of a Senior Executive who will report directly to the Chief Executive of the Company. (XI) The funds earmarked for environment protection measures should be maintained in a separate account and there should be no diversion of these funds for any other purpose. A year-wise expenditure on environmental safeguards should be reported to this Ministry. (XII) Full support should be extended to the Officers of this Ministry's Regional Office at					
to ensure that the overburden and rocks at the quarry site do not find their way into water bodies. (VIII) For employing unskilled, semi-skilled and skilled workers for the project, preference shall be given to local people. (IX) The recommendations made in the Environment Management Plan and Disaster Management Plan, as contained in the ElA and Risk Analysis Reports of the project shall be effectively implemented. (X) A separate Environment Management Cell with suitably qualified staff to carry out various environment related functions should be set up under the charge of a Senior Executive who will report directly to the Chief Executive of the Company. (XI) The funds earmarked for environment protection measures should be maintained in a separate account and there should be no diversion of these funds for any other purpose. A year-wise expenditure on environmental safeguards should be reported to this Ministry. (XII) Full support should be extended to the Officers of this Ministry's Regional Office at			during the construction	i phase.	
the quarry site do not find their way into water bodies. (VIII) For employing unskilled, semi-skilled and skilled workers for the project, preference shall be given to local people. (IX) The recommendations made in the Environment Management Plan and Disaster Management Plan, as contained in the EIA and Risk Analysis Reports of the project shall be effectively implemented. (X) A separate Environment Management Cell with suitably qualified staff to carry out various environment related functions should be set up under the charge of a Senior Executive who will report directly to the Chief Executive of the Company. (XI) The funds earmarked for environment protection measures should be maintained in a separate account and there should be no diversion of these funds for any other purpose. A year-wise expenditure on environmental safeguards should be reported to this Ministry. (XII) Full support should be extended to the Officers of this Ministry's Regional Office at					
Water bodies.					
(VIII) For employing unskilled, semi-skilled and skilled workers for the project, preference shall be given to local people. (IX) The recommendations made in the Environment Management Plan and Disaster Management Plan, as contained in the ElA and Risk Analysis Reports of the project shall be effectively implemented. (X) A separate Environment Management Cell with suitably qualified staff to carry out various environment related functions should be set up under the charge of a Senior Executive who will report directly to the Chief Executive of the Company. (XI) The funds earmarked for environment protection measures should be maintained in a separate account and there should be no diversion of these funds for any other purpose. A year-wise expenditure on environmental safeguards should be reported to this Ministry. (XII) Full support should be extended to the Officers of this Ministry's Regional Office at					
skilled workers for the project, preference shall be given to local people. (IX) The recommendations made in the Environment Management Plan and Disaster Management Plan, as contained in the EIA and Risk Analysis Reports of the project shall be effectively implemented. (X) A separate Environment Management Cell with suitably qualified staff to carry out various environment related functions should be set up under the charge of a Senior Executive who will report directly to the Chief Executive of the Company. (XI) The funds earmarked for environment protection measures should be maintained in a separate account and there should be no diversion of these funds for any other purpose. A year-wise expenditure on environmental safeguards should be reported to this Ministry. (XII) Full support should be extended to the Officers of this Ministry's Regional Office at					
shall be given to local people. (IX) The recommendations made in the Environment Management Plan and Disaster Management Plan, as contained in the EIA and Risk Analysis Reports of the project shall be effectively implemented. (X) A separate Environment Management Cell with suitably qualified staff to carry out various environment related functions should be set up under the charge of a Senior Executive who will report directly to the Chief Executive of the Company. (XI) The funds earmarked for environment protection measures should be maintained in a separate account and there should be no diversion of these funds for any other purpose. A year-wise expenditure on environmental safeguards should be reported to this Ministry. (XII) Full support should be extended to the Officers of this Ministry's Regional Office at	(VIII)	, , , =	Complied.		
(IX) The recommendations made in the Environment Management Plan and Disaster Management Plan, as contained in the EIA and Risk Analysis Reports of the project shall be effectively implemented. (X) A separate Environment Management Cell with suitably qualified staff to carry out various environment related functions should be set up under the charge of a Senior Executive who will report directly to the Chief Executive of the Company. (XI) The funds earmarked for environment protection measures should be maintained in a separate account and there should be no diversion of these funds for any other purpose. A year-wise expenditure on environmental safeguards should be reported to this Ministry. (XII) Full support should be extended to the Officers of this Ministry's Regional Office at					
Environment Management Plan and Disaster Management Plan, as contained in the EIA and Risk Analysis Reports of the project shall be effectively implemented. (X) A separate Environment Management Cell with suitably qualified staff to carry out various environment related functions should be set up under the charge of a Senior Executive who will report directly to the Chief Executive of the Company. (XI) The funds earmarked for environment protection measures should be maintained in a separate account and there should be no diversion of these funds for any other purpose. A year-wise expenditure on environmental safeguards should be reported to this Ministry. (XII) Full support should be extended to the Officers of this Ministry's Regional Office at					
Management Plan, as contained in the EIA and Risk Analysis Reports of the project shall be effectively implemented. (X) A separate Environment Management Cell with suitably qualified staff to carry out various environment related functions should be set up under the charge of a Senior Executive who will report directly to the Chief Executive of the Company. (XI) The funds earmarked for environment protection measures should be maintained in a separate account and there should be no diversion of these funds for any other purpose. A year-wise expenditure on environmental safeguards should be reported to this Ministry. (XII) Full support should be extended to the Officers of this Ministry's Regional Office at	(IX)	The recommendations made in the	Complied.		
and Risk Analysis Reports of the project shall be effectively implemented. (X) A separate Environment Management Cell with suitably qualified staff to carry out various environment related functions should be set up under the charge of a Senior Executive who will report directly to the Chief Executive of the Company. (XI) The funds earmarked for environment protection measures should be maintained in a separate account and there should be no diversion of these funds for any other purpose. A year-wise expenditure on environmental safeguards should be reported to this Ministry. (XII) Full support should be extended to the Officers of this Ministry's Regional Office at		Environment Management Plan and Disaster			
and Risk Analysis Reports of the project shall be effectively implemented. (X) A separate Environment Management Cell with suitably qualified staff to carry out various environment related functions should be set up under the charge of a Senior Executive who will report directly to the Chief Executive of the Company. (XI) The funds earmarked for environment protection measures should be maintained in a separate account and there should be no diversion of these funds for any other purpose. A year-wise expenditure on environmental safeguards should be reported to this Ministry. (XII) Full support should be extended to the Officers of this Ministry's Regional Office at		Management Plan, as contained in the EIA			
be effectively implemented. (X) A separate Environment Management Cell with suitably qualified staff to carry out various environment related functions should be set up under the charge of a Senior Executive who will report directly to the Chief Executive of the Company. (XI) The funds earmarked for environment protection measures should be maintained in a separate account and there should be no diversion of these funds for any other purpose. A year-wise expenditure on environmental safeguards should be reported to this Ministry. (XII) Full support should be extended to the Officers of this Ministry's Regional Office at					
(XI) A separate Environment Management Cell with suitably qualified staff to carry out various environment related functions should be set up under the charge of a Senior Executive who will report directly to the Chief Executive of the Company. (XI) The funds earmarked for environment protection measures should be maintained in a separate account and there should be no diversion of these funds for any other purpose. A year-wise expenditure on environmental safeguards should be reported to this Ministry. (XII) Full support should be extended to the Officers of this Ministry's Regional Office at					
with suitably qualified staff to carry out various environment related functions should be set up under the charge of a Senior Executive who will report directly to the Chief Executive of the Company. (XI) The funds earmarked for environment protection measures should be maintained in a separate account and there should be no diversion of these funds for any other purpose. A year-wise expenditure on environmental safeguards should be reported to this Ministry. (XII) Full support should be extended to the Officers of this Ministry's Regional Office at	(X)		Complied.		
various environment related functions should be set up under the charge of a Senior Executive who will report directly to the Chief Executive of the Company. (XI) The funds earmarked for environment protection measures should be maintained in a separate account and there should be no diversion of these funds for any other purpose. A year-wise expenditure on environmental safeguards should be reported to this Ministry. (XII) Full support should be extended to the Officers of this Ministry's Regional Office at			•	rironment cell is	
be set up under the charge of a Senior Executive who will report directly to the Chief Executive of the Company. (XI) The funds earmarked for environment protection measures should be maintained in a separate account and there should be no diversion of these funds for any other purpose. A year-wise expenditure on environmental safeguards should be reported to this Ministry. (XII) Full support should be extended to the Officers of this Ministry's Regional Office at			•		
Executive who will report directly to the Chief Executive of the Company. (XI) The funds earmarked for environment protection measures should be maintained in a separate account and there should be no diversion of these funds for any other purpose. A year-wise expenditure on environmental safeguards should be reported to this Ministry. (XII) Full support should be extended to the Officers of this Ministry's Regional Office at					
Executive of the Company. (XI) The funds earmarked for environment protection measures should be maintained in a separate account and there should be no diversion of these funds for any other purpose. A year-wise expenditure on environmental safeguards should be reported to this Ministry. Description Amount (Rs.) Environment Monitoring General Environment Management Total 2,53,000 (XII) Full support should be extended to the Officers of this Ministry's Regional Office at		•		reporting to station	
(XI) The funds earmarked for environment protection measures should be maintained in a separate account and there should be no diversion of these funds for any other purpose. A year-wise expenditure on environmental safeguards should be reported to this Ministry. (XII) Full support should be extended to the Officers of this Ministry's Regional Office at		·	11000.		
protection measures should be maintained in a separate account and there should be no diversion of these funds for any other purpose. A year-wise expenditure on environmental safeguards should be reported to this Ministry. The amount spent for various activities under Environment for the period from April'2023 to September'2023. Description Amount (Rs.) Environment Monitoring General Environment Management Total 2,53,000 Total 2,64,840 (XII) Full support should be extended to the Officers of this Ministry's Regional Office at	(XI)		Complied		
a separate account and there should be no diversion of these funds for any other purpose. A year-wise expenditure on environmental safeguards should be reported to this Ministry. (XII) Full support should be extended to the Officers of this Ministry's Regional Office at	(''')		•	r various activities	
diversion of these funds for any other purpose. A year-wise expenditure on environmental safeguards should be reported to this Ministry. (XII) Full support should be extended to the Officers of this Ministry's Regional Office at		·	•		
purpose. A year-wise expenditure on environmental safeguards should be reported to this Ministry. Description		· ·		•	
environmental safeguards should be reported to this Ministry. Environment Monitoring General Environment Management Total (XII) Full support should be extended to the Officers of this Ministry's Regional Office at		,	<u> </u>		
to this Ministry. Environment Monitoring 11,840			Description	Amount (Rs.)	
(XII) Full support should be extended to the Officers of this Ministry's Regional Office at Monitoring General Environment Analysis 2,53,000 Total 2,64,840 Noted for Compliance assured.			Environment	11 0 4 0	
(XII) Full support should be extended to the Officers of this Ministry's Regional Office at		CO CITIS MITTISCLY.	-	11,040	
(XII) Full support should be extended to the Officers of this Ministry's Regional Office at			General Environment	2 53 000	
(XII) Full support should be extended to the Noted for Compliance assured. Officers of this Ministry's Regional Office at			Management	٥٥٥,८८,٥	
Officers of this Ministry's Regional Office at					
· · · · · · · · · · · · · · · · · · ·	(XII)	·	Noted for Compliance a	ssured.	
Bangalore and the Officers of the Central and		• •			
		Bangalore and the Officers of the Central and			



	State Pollution Control Boards by the project proponents during their inspection for	
	monitoring purposes, by furnishing full details	
	and action plans including the action taken	
	reports in respect of mitigative measures and	
	other environmental protection activities.	
(XIII)	In case of deviation or alteration in the	Noted.
	project included the implementing agency, a	
	fresh reference should be made to this	Full co-operation being extended to
	Ministry for modification in the clearance	mentioned authority always.
	conditions of imposition of new ones for	
	ensuring environmental protection. The	
	project proponents should be responsible for implementing the suggested safeguard	
	measures.	
(XIV)	This Ministry reserves the right to revoke this	Noted and agreed.
	clearance, if any of the conditions stipulated	
	are not complied with to the satisfaction of	
()()()	this Ministry.	Nobel
(XV)	This Ministry or any other competent authority may stipulate any other additional	Noted and agreed.
	conditions subsequently, if deemed	
	necessary, for environmental protection,	
	which shall be complied with.	
(XVI)	The project proponent should advertise at	Complied.
	least in two local newspapers widely	
	circulated in the region around the project,	
	one of which shall be in the vernacular	
	language of the locality concerned informing	
	that the project has been accorded	
	environmental clearance and copies of clearance letters are available with the State	
	Pollution Control Board and may also be seen	
	at website of the MoEF at	
	http://www.enfor.nic.in. The advertisement	
	should be made within 7 days from the date	
	of issue of the clearance letter and a copy of	
	the same should be forwarded to the regional	
	Office of this Ministry at Bangalore.	
(XVII)	The Project proponents should inform the	Noted & informed to the concerned
	Regional Office as well as the Ministry the	authorities for the development.
	date of financial closure and final approval of	
	the project by the concerned authorities and date of start of Land Development Work.	
	oate of Start of Land Development Work.	



Ambient Air Quality Monitoring

Annexure-I

Ambient Air Quality Monitoring (PM_{10} , $PM_{2.5}$, SO_2 , NO_x & CO) is done once in a month. The Monitoring reports for the period of April'2023 to September'2023 are presented in below Table-1.

Table-1: Ambient Air Quality Monitoring for the period of April'2023 to September'2023

Location	Parameters	Limits	Unit	Арг-23	May-23	Jun-23	Jul-23	Aug-23	Sep-23
APL	PM ₁₀	100	µg/m³	87.5	72.4	65.3	35.6	38.4	40.5
	PM _{2.5}	60	µg/m³	54.6	45.7	37.4	21.4	22.6	24.4
Berth	SO ₂	80	µg/m³	25.6	25.9	23.4	18.4	19.2	19.6
No-15	NO _x	80	µg/m³	25.2	26.1	25.8	22.6	23.3	23.9
	СО	02	mg/m³	BLQ	BLQ	BLQ	BLQ	BLQ	BLQ

Note: BLQ-Below limit of Quantification



Water Quality Monitoring - Coal Settling Pond

The Monitoring reports for the period of April'2023 to September'2023 are presented in Table-2.

Table-2: Water Quality Monitoring carried out in Coal Settling Pond for the period of April'2023 to September'2023

SI. No.	Parameters	Limits	Unit	Apr-23	May-23	Jun-23	Jul-23	Aug-23	Sep-23
1	Colour	No visible colour	Hazen	-	-	No visible colour	No visible colour	No visible colour	No visible colour
2	Odour	No offensive odour	-	-	-	No offensive odour	No offensive odour	No offensive odour	No offensive odour
3	pH (at 25 °C)	5.5 – 9.0	-	-	-	7.02	6.92	6.98	6.71
4	Total Suspended Solids	100	mg/l	-	-	7.40	8.90	12.40	6.80
5	Floating material, Oil and Grease and scum (including POL products)	≤10	mg/l	-	-	BLQ	BLQ	BLQ	BLQ
6	BOD (3days@27°C)	≤10	mg/l	-	-	6.0	8.0	8.0	6.0

Note:

- BLQ-Below Limit of Quantification
- Due to no rainfall and less activities, there is no outflow from the coal settling pond during April'2023 and May'2023