

Ref.: UPCL/NMPT/ENV/EC/221/05/22

Date: 27/05/2022

To,

Additional Principal Chief Conservator of Forest (APCCF) Ministry of Environment, Forest and Climate Change Regional Office (Southern Zone),

Kendriya Sadan, Koramangala, Bangalore – 560 034

Sub: Submission of Six-Monthly EC Compliance report for Captive Jetty with associated facilities for import and handling of coal for coal-based subcritical Thermal Power Plant of UPCL in Udupi district in Karnataka.

Ref: Environmental Clearance No: J-16011/13/2002-IA, III Dated: 16,01,2003,

Dear Sir,

With reference to the above subject, please find enclosed Six-monthly compliance reports for the period of **October'2021 to March'2022** against the conditions of Environmental Clearance for **Captive Jetty with associated facilities** for import and handling of coal-based subcritical Thermal power plant of UPCL through soft copy (e-mail).

Thanking you, Yours sincerely,

for Udupi Power Corporation Limited

(Santosh Kumar Singh) Authorized Signatory

Encl.: As above

CC:

The Member Secretary,
Central Pollution Control Board,
Parivesh Bhavan, East Arjun Nagar,
Kendriya Paryavaran Bhawan, New Delhi – 110 032

Zonal Office, Central Pollution Control Board,1st and 2nd Floor, Nisarga Bhavan, A-Block, Thimmaiah
Main Road, 7th Cross, Shivanagar, Bengaluru – 560 010

The Member Secretary
Karnataka State Pollution Control Board
"Parisara Bhavan", #49, 4th & 5th Floor,
Church Street, Bangalore – 560 001

Regional Office, Karnataka State Pollution Control Board Parisara Bhavan, Bikampady, Mangalore.



Environmental Clearance for development of Port was obtained by New Mangalore Port Trust (NMPT). Through concession agreement signed on 9th May 2008 between Udupi Power Corporation Ltd (UPCL) and NMPT, Berth No. 15 of the port was allocated to UPCL for construction and operation of captive jetty with associated facilities for import and handling of coal for coal-based Subcritical Thermal Power Plant of UPCL in Udupi district in Karnataka.

Udupi Power Corporation Ltd, a Subsidiary of Adani Power Limited, is submitting this compliance to environmental clearance conditions as per concession agreement signed between UPCL and NMPT.

S.NO	Conditions	Compliance
Α	Specific Condition	
(1)	All the conditions stipulated by KSPCB in their NOC No.KSPCB/CFE-CELL/DEO/AEO-2/NMPT/2002-2003/115 dated 28.06.2002 shall be effectively implemented.	All the conditions stipulated by KSPCB are implemented.
(II)	The proposed deep draft Berth at Mangalore will be laid only within the existing corridor/within the existing port limits.	Deep draft berth is constructed within the NMPT (New Mangalore Port Trust) limits only.
(111)	The laying and commissioning of the berth shall be in accordance with the established procedures, practices and rules and in conformity with the details furnished in the project documents. The New Mangalore Port Trust shall notify the specific procedures, practices and standards to be adopted in laying and commissioning of the berth.	Complied with. Deep draft berth is constructed as per the procedures and standards of NMPT; the same is verified by NMPT officials/ Engineers.
(IV)	It shall be ensured that as a result of construction of berth, the drainage of the area is not affected adversely and that there is no ingress of sea water.	Complied with. Construction of berth is carried out as per the standards and procedures of NMPT. Drainage system in the berth is constructed in such way that no ingress of sea water is allowed and it is designed only for storm water and coal runoff.
(V)	The berth shall be provided with in-built oil leakage detection and warning system. Adequate measures for monitoring pressures in excess of those for which the berth is designed shall be ensured to prevent leakage of Oil.	UPCL Berth No-15 is designed only for bulk coal handling and as such no vessel maintenance works are taking place in our berth hence the condition shall not applicable to us.
(VI)	The environmental safeguard measures and the Environmental Management Plan as given in the project documents shall be effectively implemented.	Complied with.
(VII)	The water requirement for the project will be met through Municipal Water Supply. No groundwater shall be tapped within CRZ for the project.	Complied with. An agreement was made with City Corporation Mangalore; hence no ground water was tapped in the project area.
(VIII)	Electricity shall be met through KPTCL	Complied with.



		Electricity is supplied by
		MESCOM-Mangalore under
(1)	The manageyes if any on the site should not be	KPTCL.
(IX)	The mangroves, if any, on the site should not be disturbed in any way.	The present UPCL berth falls in the NMPT premises and hence
	and the state of t	No mangroves are found in the
		Jetty area.
(X)	The noise generated from the generators during	Low noise Generators are
	operation shall be minimized by providing adequate	provided to minimize vibration by
(XI)	vibration damping/vibration isolation techniques. In case the proposed project falls in a cyclone	adopting latest techniques. UPCL has developed emergency
(^1)	prone area the proponent(s) must prepare an	plan for Berth No-15.
	emergency plan and also the ways and means for	pian for Bertii No-13.
	minimizing as well as mitigating the cyclone	
	disasters.	
B	General Conditions:	0
(1)	Construction of the proposed structures should be undertaken meticulously confirming to the existing	Complied with. All the construction drawings
	Central/local rules and regulations including CRZ	and designs are as per NMPT
	Notification 1991 and its amendments. All the	standards and the same is
	construction designs/drawings relating to the	inspected by NMPT
	proposed construction activities must have	officials/Engineers during
	approvals of the concerned State Govt.	construction phase.
(II)	Depts/Agencies. The proponent shall ensure that as a result of the	Complied with.
(11)	proposed constructions, ingress of the saline water	All the constructions have been
	into the groundwater does not take place. Regular	done as per approved drawings
	monitoring should be done for this purpose at	near the sea shore considering
(111)	appropriate locations on the project site	this factor.
(III)	Handling, Manufacturing, Storage and Transportation of all hazardous chemicals should	UPCL berth No-15 is designed only for bulk coal handling,
	be carried out in accordance with MSIHC Rules,	hence no hazardous chemical
	1999 and subsequent amendments. All approvals	activities are carried in the site
	from State and Central nodal agencies including	and point is not applicable for us.
	OISD, Chief Controller of Explosives, and Chief	
	Inspectorate of Factories must be obtained. A	
	comprehensive contingency plan in collaboration with the concerned authorities must be formulated	
	before commissioning of the project to meet any	
	eventuality in case of an accident.	
(IV)	A well-equipped laboratory with suitable	Complied with.
	instruments to monitor the quality of air and water	UPCL has qualified Environment
	shall be set up so as to ensure that the quality of ambient air and water conforms to the prescribed	Management team. Environmental Monitoring is
	standards. The laboratory will also be equipped	carried out through NABL/
	with qualified manpower including a marine	MoEF&CC Accredited Laboratory.
	microbiologist so that the marine water quality is	Ambient Air Quality Monitoring
	regularly monitored in order to ensure that the	was carried out by NABL Lab and
	marine life is not adversely affected as a result of	the report is attached as
	implementation of the said project. The quality of ambient air and water shall be monitored	Annexure - I
	periodically in all the seasons and the results	
<u> </u>	pensonony in on the seasons and the results	<u> </u>



	should be properly maintained for inspection of the concerned pollution control agencies. The periodic monitoring reports at least once in 6 months must be sent to this Ministry (Regional Office at Bangalore) and SPCB.	Water sample from settling pond was analysis was carried Lab and the report <i>Annexure – II</i>	collected, ed out by NABL
(V)	Adequate provisions for infrastructure facilities such as water supply, fuel for cooking, sanitation etc must be provided for the laborers during the construction period in order to avoid damage to the environment. Colonies for the laborers should not be located in the CRZ area. It should also be ensured that the construction workers do not cut trees, including mangroves for fuel wood purpose.	Complied with. All the facilities f provided during th phase.	
(VI)	To prevent discharge of sewage and other liquid wastes in to the water bodies, adequate system for collection and treatment of the wastes must be provided. No sewage and other liquid wastes without treatment should be allowed to enter into the water bodies.	Complied with Liquid wastes are Soak pits and sept	
(VII)	The quarrying material required for the construction purpose shall be obtained only from the approved quarries/borrow areas. Adequate safeguard measures shall be taken to ensure that the overburden and rocks at the quarry site do not find their way into water bodies.	Complied with. All the necessary taken during the phase.	
(VIII)	For employing unskilled, semi-skilled and skilled workers for the project, preference shall be given to local people.	Complied with	
(IX)	The recommendations made in the Environment Management Plan and Disaster Management Plan, as contained in the EIA and Risk Analysis Reports of the project shall be effectively implemented.	Complied with	
(X)	A separate Environment Management Cell with suitably qualified staff to carry out various environment related functions should be set up under the charge of a Senior Executive who will report directly to the Chief Executive of the Company.		Head of the epartment is
(XI)	The funds earmarked for environment protection measures should be maintained in a separate account and there should be no diversion of these funds for any other purpose. A year-wise expenditure on environmental safeguards should	Complied with. The amount speractivities under E the period from O March 2022.	nvironment for
	be reported to this Ministry.	Description	Amount (Rs.)
		Environment Monitoring	6,500
		General Environment Management	21,098
(>11)	Full support should be extended to the Officers of	Total	27,598
(XII)	Full support should be extended to the Officers of	Noted for Complia	nice.



	this Ministry's Regional Office at Bangalore and the Officers of the Central and State Pollution Control Boards by the project proponents during their inspection for monitoring purposes, by furnishing full details and action plans including the action taken reports in respect of mitigative measures and other environmental protection activities.	
(XIII)	In case of deviation or alteration in the project included the implementing agency, a fresh reference should be made to this Ministry for modification in the clearance conditions of imposition of new ones for ensuring environmental protection. The project proponents should be responsible for implementing the suggested safeguard measures.	Noted for Compliance.
(XIV)	This Ministry reserves the right to revoke this clearance, if any of the conditions stipulated are not complied with to the satisfaction of this Ministry.	Noted for Compliance.
(XV)	This Ministry or any other competent authority may stipulate any other additional conditions subsequently, if deemed necessary, for environmental protection, which shall be complied with.	Noted for Compliance.
(XVI)	The project proponent should advertise at least in two local newspapers widely circulated in the region around the project, one of which shall be in the vernacular language of the locality concerned informing that the project has been accorded environmental clearance and copies of clearance letters are available with the State Pollution Control Board and may also be seen at website of the MoEF at http://www.enfor.nic.in. The advertisement should be made within 7 days from the date of issue of the clearance letter and a copy of the same should be forwarded to the regional Office of this Ministry at Bangalore.	Complied with.
(XVII)	The Project proponents should inform the Regional Office as well as the Ministry the date of financial closure and final approval of the project by the concerned authorities and date of start of Land Development Work.	Noted for Compliance.

H.O.: # 18, 92nd Street, Ashok Nagar, Chennai - 600 083. Ph: 42985555 Fax: 42985500 E-mail: labsales@hecs.in





Laboratory Services Division

(Chemical & Biological Testing)
Recognized by MoEF, BIS
FSSAI Notified Laboratory
ISO 9001, 14001 & OHSAS 18001 Certified.

TEST REPORT

Page No. 1 of 1

Name of the Industry	M/s Udupi Power Corporation Limited	
Address of the Industry	Yellur Village, Padubidri, Dist Udupi, Karnataka	
Sampling Location	NMPT Jetty (A10)	
Sample Drawn by	Hubert Enviro Care Systems (P) Ltd	
Date of Sample Receipt	26.10.2021	
Analysis Commenced on	26.10.2021	
Analysis Completed on	30.10.2021	
Report Date	01.11.2021	
Report No	HECS/AA/096/261021	

Date of	SO ₂	NO ₂	PM ₁₀	PM _{2.5}	со	Pb	O ₃	NH ₃	C ₆ H ₆	B(α)P	As	Ni	Hg
Sampling	μg/m³				mg/m ³	μg/m³			ng/m³				
25.10.2021	18.4	23.6	55.5	39.8	0.3	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL
NAAQ Standards	80 [*]	80*	100*	60 [*]	2**	1*	100**	400*	5***	1***	6***	20***	-

Note: 24 hours average; :8 hours average; :Annual average

Test Methods Followed:

PM ₁₀ : IS 5182 (Pt 23): 2006 (RA 2017) (Gravimetric)

PM _{2.5} : HECS/AIR/SOP/002 Issue 02 dt. 13.06.2018 based on CPCB guidelines vol. I (2011) SO₂ : IS 5182 (Pt 2): 2001 (RA 2017) (Improved west and Geake method)

SO₂ : IS 5182 (Pt 2): 2001 (RA 2017) (Improved west and Geake method) NO₂ : IS 5182 (Pt 6): 2006 (RA 2017) (Jacob and Hochheiser modified method)

 O_3 : HECS/AIR/SOP/005 Issue 02 dt. 13.06.2018 based on CPCB guidelines vol. I (2011) HECS/AIR/SOP/006 Issue 02 dt. 13.06.2018 as per CPCB guidelines vol. I (2011)

CO : IS 5182 (Pt 10): 1999 (RA 2013)

Pb, As, Ni : In-house method based on CPCB guidelines vol. I (2011)

 C_6H_6 : GC FID/ GC MS based on IS: 5182 (Pt 11) based on CPCB guidelines vol. I (2011)

B(α)P : In-house validated method based on CPCB guidelines vol. I (2011)

BDL = Below detection limit; DL - Detection Limit; PM $_{2.5}$ -Particulate matter size less than 2.5 Micron, PM $_{10}$ -Particulate matter size less than 10 Micron; SO $_2$ Sulphur dioxide; NO $_2$ - Nitrogen-di-oxide; CO - Carbon Mono Oxide (DL 0.1 mg/m 3); O $_3$ -Ozone (DL 10 μ g/m 3); NH $_3$ -Ammonia (DL 5 μ g/m 3); Pb-Lead (DL 0.05 μ g/m 3); As-Arsenic (DL 0.1 ng/m 3); Ni-Nickel (DL 0.5 ng/m 3); C $_6$ H $_6$ - Benzene (DL 1 μ g/m 3); B(α)P - Benzo - α -pyrene (DL 0.1 ng/m 3); ng/m 3 - nanogram per cubic meter; μ g/m 3 - microgram per cubic meter.

Laboratory and Quality Manager - Authorized Signatory

(Dr K GANESAN)

^{1.} The report in full or part shall not be used for any promotional or publicity purpose without written consent by HECS organization 2. Samples are not drawn by HECS unless or otherwise mentioned 3. Unless specifically requested by customer the test items will not be retained more than 15 days from the date of issue of test report. 4. Under no circumstances lab accepts any liability or loss / damage caused by use or misuse of test report after invoicing or issue of test report. 5. The test results relate only to the test items.

18, 92nd Street, Ashok Nagar,

Chennai - 600 083.

Ph: 42985555 Fax : 42985500 E-mail : labsales@hecs.in



Laboratory Services Division

(Chemical & Biological Testing)
Recognized by MoEF, BIS
FSSAI Notified Laboratory
ISO 9001, 14001 & OHSAS 18001 Certified.

TEST REPORT

Page No. 1 of 1

Name of the Industry	M/s Udupi Power Corporation Limited	
Address of the Industry	Yellur Village, Padubidri, Dist Udupi, Karnataka	
Sampling Location	NMPT Jetty (A10)	
Sample Drawn by	Hubert Enviro Care Systems (P) Ltd	
Date of Sample Receipt	21.01.2022	
Analysis Commenced on	21.01.2022	
Analysis Completed on	27.01.2022	
Report Date	28.01.2022	
Report No	HECS/AA/096/210122	

RESULTS

Date of	SO ₂	NO ₂	PM ₁₀	PM _{2.5}	со	Pb	O ₃	NH ₃	C ₆ H ₆	Β(α)Ρ	As	Ni
Sampling		ŀ	ıg/m³		mg/m ³		μg	g/m³			ng/m³	
20.01.2022	19.1	22.3	51.7	36.5	0.2	BLQ	BLQ	BLQ	BLQ	BLQ	BLQ	BLQ
NAAQ Standards	80*	80 [*]	100*	60 [*]	2**	1*	100**	400 [*]	5***	1***	6***	20***

Note: *: 24 hours average;

: 8 hours average; :: Annual average

Test Methods Followed:

PM $_{10:}$ IS 5182 (Pt 23): 2006 / PM $_{2.5}$: HECS/AIR/SOP/003 : 2017 / SO $_2$: CPCB guide lines Volume 1: 2012 / NO $_2$: IS 5182 (Pt 6): 2006 / O $_3$: HECS/AIR/AMBIENT/SOP/007 :2013/ NH $_3$: HECS/AIR/AMBIENT/SOP/006 :2013/ CO: IS 5182 (Pt 10): 1999 / Pb : IS: 5182 (P-22): 2004/ As, Ni: HECS/AIR/AMBIENT/009 :2013/ C $_6$ H $_6$: IS: 5182 (Pt 11): 2006 / B(α)P: IS: 5182 (Pt 12): 2004.

Note: BLQ - Below the Limit of Quantification, LOQ- Limit of Quantification; ng/m^3 : nanogram per cubic meter; $\mu g/m^3$ - microgram per cubic meter; $\mu g/m^3$ - milligram per cubic meter; $\mu g/m^3$: $\mu g/m^3$; $\mu g/m$

CONCLUSION: ANALYSED PARAMETERS MEET THE NAAQ STANDARDS

Chennai

600 083

*****End of Report *****

Authorized Signatory

Dr. RAJKUMAR SAMUEL

Director Technical

^{1.} The report in full or part shall not be used for any promotional or publicity purpose without written consent by HECS organization 2. Samples are not drawn by HECS unless or otherwise mentioned 3. Unless specifically requested by customer the test items will not be retained more than 15 days from the date of issue of test report. 4. Under no circumstances lab accepts any liability or loss / damage caused by use or misuse of test report after invoicing or issue of test report. 5. The test results relate only to the test items.

18, 92nd Street, Ashok Nagar,

Chennai - 600 083.

Ph: 42985555 Fax : 42985500 E-mail : labsales@hecs.in

Laboratory Services Division

(Chemical & Biological Testing) Recognized by MoEF, BIS FSSAI Notified Laboratory ISO 9001, 14001 & 45001 Certified.

TEST REPORT

Page No. 1 of 1

Name of the Industry	M/s Udupi Power Corporation Limited			
Address of the Industry	Yellur Village, Padubidri, Dist Udupi, Karnataka			
Sampling Location	NMPT Jetty (A10)			
Sample Drawn by	Hubert Enviro Care Systems (P) Ltd	_		
Date of Sample Receipt	21.01.2022			
Analysis Commenced on	21.01.2022			
Analysis Completed on	27.01.2022	, , , , , , , , , , , , , , , , , , , ,		
Report Date	28.01.2022			
Report No	HECS/AA/096/210122N			

RESULTS

Date of Sampling	Hg	
	ng/m³	
20.01.2022	BLQ	
NAAQ Standards	NS	

Test Methods Followed:

Hg: USEPA method - Acid Digestion followed by ICP-MS analysis.

Note: BLQ - Below the Limit of Quantification, LOQ- Limit of Quantification; ng/m³: nanogram per cubic meter; Mercury (LOQ 1 ng/m³); NS - Not Specified

*****End of Report *****

Authorized Signatory

ARES

Chennai 600 083

> Dr. RAJKUMÁR SAMUEL Director Technical

^{1.} The report in full or part shall not be used for any promotional or publicity purpose without written consent by HECS organization 2. Samples are not drawn by HECS unless or otherwise mentioned 3. Unless specifically requested by customer the test items will not be retained more than 15 days from the date of issue of test report. 4. Under no circumstances lab accepts any liability or loss/damage caused by use or misuse of test report after invoicing or issue of test report. 5. The test results relate only to the test items.

HECS/Q/FMT/50

H.O.: # 18, 92nd Street, Ashok Nagar, Chennai - 600 083. Ph: 42985555 Fax: 42985500 E-mail: labsales@hecs.in

C-45, Industrial Estate, Baikampady, Mangalore, Karnataka - 575011.

Ph: 0824 - 2408111, Email: kro@hecs.in, Website: www.hecs.in



Laboratory Services Division

(Chemical & Biological Testing)
Recognized by MoEF, BIS
FSSAI Notified Laboratory
ISO 9001, 14001 & OHSAS 18001 Certified.

Certificate No. TC-5786

TEST REPORT

Page No. 1 of 1

Name of the Client	M/s. Udupi Power Corporation Ltd.,	
Address of the Client	Yellur Village, Padubidri, Dist Udupi	
Sample Description	NMPT Coal Settling Pond (Berth No. 15)	
Sample Mark	WW-1	
Sample Drawn by	M/s HECS	
Date of Sampling	02.09.2021	
Qty. of sample received	2 L in HDPE Can and 1 L in Amber bottle	
Date of Sample Receipt	02.09.2021	
Analysis Commenced On	02.09.2021	
Completed On	09.09.2021	
Report No.	HECSM/WW/001/020921	
Report Date	11.09.2021	

RESULTS

S.No	Parameters	Units	Results	KSPCB Std.	Test Method
1.	Colour	Hazen	3.0	No visible colour	IS 3025 (Pt 4) :1983 (RA 2017)
2.	Odour	-	No offensive odour	No offensive odour	IS 3025 (Pt 5):1983 (RA 2018)
3.	pH at 25°C	-	7.0	5.5 - 9.0	IS 3025 (Pt 11): 1983 (RA 2017)
4.	Total Suspended Solids	mg/L	5.6	100	2540 D APHA 23 rd Edn., 2017
5.	Floating material, oil and grease and scum (including POL products)	mg/L	2.3	≤ 10	IS 3025 (Pt 39): 2000 (RA 2014)
6.	BOD, 3 days at 27°C	mg/L	6.6	≤ 10	IS 3025 (Pt 44): 1993 (RA 2014)

Note: BDL - Below Detection Limit; mg/L - Milligrams per Liter; KSPCB - Karnataka State Pollution Control Board

INFERENCE As per KSPCB standards, the analysed parameters are within the prescribed limit.

*****End of Report******

<u>.</u>

Laboratory and Quality Manager - Authorized Signatory